DiyaKala.com

ورود به سایت

۰۲۱۸۶۰۳۱۶۵۵
۰۲۱۴۶۰۸۳۹۵۴
۰۹۹۰۰۸۸۷۱۸۸

کانال تلگرام

MAXRON

MAXRON IP CAMERA

مدل	مشخصات	User
MIC-BR1220S-0360B	1/2.7” 2Megapixel progressive scan CMOS,25/30fps@1080P(1920× 1080),DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,3.6mm fixed lens, Max. IR LEDs Length 30m,IP67, PoE	4,260,000
MIC-BR1230S	1/2.7” 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 25/30fps@1080P(1920×1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE	4,670,000
MIC-BR1320S-0360B	1/3” 3Megapixel progressive scan CMOS Max 20fps@3M(2048× 1536)&25/30fps@1080P(1920× 1080)DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC3.6mm fixed lens Max. IR LEDs Length 30mIP67, PoE	5,150,000
MIC-BR1420S	1/3” 4Megapixel progressive scan CMOSH.264&MJPEG dual-stream encoding Max 20fps@4M(2688×1520)&25/30fps@3M(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC3.6mm fixed lens Max. IR LEDs Length 30mIP67, PoE	6,230,000
MIC-BR1431S	1/3” 4Megapixel progressive CMOS 3.6mm fixed lens 20fps@4M(2688×1520) &25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Max. IR LEDs Length 30m IP67, PoE	6,970,000
MIC-BR2231R-VFS-IRE6	1/2.8” 2Megapixel progressive Starvis CMOS (Starlight) 2.7~13.5mm varifocal lens 25/30fps@2M(1920×1080) H.265 & H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card 128GB Max IR LEDs Length 60m IP67, PoE	9,180,000
MIC-BR2231R-ZS-IRE6	1/2.8” 2Megapixel progressive Starvis CMOS (Starlight) 2.7~13.5mm Motorized lens 25/30fps@2M(1920×1080) H.265 & H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60mIP67, PoE	11,090,000
MIC-BR2220R-VFS	1/2.8” 2Megapixel SONY progressive CMOS 25/30fps@1080P(1920x1080),DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,2.7~12mm varifocal lens, Max IR LEDs Length 30m,IP67, PoE, Micro SD card slot, up to 128GB	7,230,000
MIC-BR2320R-VFS	1/3” 3Megapixel progressive CMOS, Max 20fps@3M(2304x1296) (2048x1536),&25/30fps@1080P(1920,x1080),DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,2.7~12mm varifocal lens, Max IR LEDs Length 30m,IP67, PoE, Micro SD card slot, up to 128GB	7,230,000
MIC-BR2320R-ZS-IRE6	1/3” 3Megapixel progressive CMOS, Max 20fps@3M(2304x1296) &25/30fps@1080P(1920 x1080),DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,2.7~12mm Motorized Zoom lens, Max IR LEDs Length 60m,IP67, PoE, Micro SD Card , 128 GB	9,230,000
MIC-BR4231E-S	1/2.8” 2Megapixel progressive scan Exmor CMOS (Starlight) 3.6mm fixed lens50/60fps@1080P(1920×1080)H.265+/H.265/H.264+/H.264 triple-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported: Face Detection, Tripwire, Intrusion, Object Abandoned/Missing Max. IR LEDs Length 40mMirco SD card 128GBIP67, PoE	9,090,000
MIC-BR-4431D-AS-H	1/3” 4Megapixel progressive scan CMOS 3.6mm fixed lens Max 20fps@4M(2592×1520) & 25/30fps@3M(2304×1296) H.265 & H.264 & MJPEG triple stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported Face Detection,Tripwire, Intrusion, Object Abandoned/Missing 1/1 Alarm in/out, 1/1 audio in/out Max. IR LEDs Length 80m Mirco SD card 128GB IP67, PoE	7,480,000
MIC-BR4431B-AS-H	1/3” 4Megapixel progressive scan CMOS 3.6mm fixed lens Max 20fps@4M(2592×1520) & 25/30fps@3M(2304×1296)H.265 & H.264 & MJPEG triple stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported Face Detection,Tripwire, Intrusion, Object Abandoned/Missing 1/1 Alarm in/out, 1/1 audio in/out Max. IR LEDs Length 50m Mirco SD card 128GB IP67, PoE	7,090,000
MIC-BR4231B-AS-H	1/2.8” 2Megapixel progressive scan CMOS 3.6mm fixed lens 25/30fps@1080P(1920×1080) H.265/H.264 triple-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported: Face Detection,Tripwire, Intrusion, Object Abandoned/Missing 1/1 Alarm in/out, 1/1 audio in/out Max. IR LEDs Length 50m Mirco SD card 128GB IP67, PoE	5,580,000
MIC-BR2431R-VFS-IRE6	1/3” 4Megapixel progressive CMOS 2.7~13.5mm varifocal lens 20fps@4M(2688×1520)&25/30fps@3M(2304×1296) H.265 & H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60m IP67, PoE	10,110,000
MIC-BR2431R-ZS-IRE6	1/3” 4Megapixel progressive CMOS 2.7~13.5mm Motorize lens 20fps@4M(2688×1520)&25/30fps@3M(2304×1296) H.265 & H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60m IP67, PoE	11,970,000
BR-2421RZ-IRE6	1/3” 4Megapixel progressive CMOS 2.7~12mm Motorized lens 20fps@4M(2688x1520) & 25/30fps@3M (2304×1296) H.264+ & H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60m IP67, PoE	10,580,000

MAXRON

MIC-BR4830E-S	1/2.5” 8Megapixel progressive scan CMOS H.265+&H.265&H.264&MJPEG triple-stream encoding 15fps@4K(3840×2160),25/30fps@3Mp(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 4mm fixed lens Max. IR LEDs Length 40m Micro SD card memory , 128 GB IP67, PoE Smart Detection (Tripwire|Intrusion | Scene Change | Face)	**13,040,000**
MIC-BR5431E-Z-H	1/3” 4Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 & MJPEG triple-stream encoding Max 20fps@4Mp(2560×1440),25/30fps@3M(2304x1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~12mm motorized lens Max. IR LEDs Length 50m IP67, PoE Micro SD card memory , 128 GB Audio in/Out Alarm In/Out Smart Detection Tripwire|Intrusion | Scene Change | Face)	**12,820,000**
MIC-DR1220S-0360B	1/2.7” 2Megapixel progressive scan,CMOS,25/30fps@2M(1920×1080), DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,3.6mm fixed lens, Max. IR LEDs Length 30m,IP67, PoE	**4,260,000**
MIC-DR1230E	1/2.7” 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 25/30fps@1080P(1920×1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, IK10, PoE	**4,850,000**
MIC-DR1420E	1/3” 4Megapixel progressive scan CMOSH.264&MJPEG dual-stream encoding Max 20fps@4M(2688×1520) & 25/30fps@3M(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC3.6mm fixed lens Max. IR LEDs Length 30mIP67, PoE	**6,460,000**
MIC-DR2220R-VFS	1/2.8” 2Megapixel SONY progressive CMOS,H.264 & MJPEG dual-stream encoding,25/30fps@1080P(1920x1080),DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,2.7~12mm varifocal lens, Max IR LEDs Length 30m,IP67, IK10, PoE, Micro SD card slot, up to 128GB	**7,230,000**
MIC-DR2320R-VFS	1/3” 3Megapixel progressive CMOS,Max,20fps@3M(2304x1296),(2048x1536)&25/30fps@1080P(1920,x1080),DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,2.7~12mm varifocal lens, Max IR LEDs Length 30m,IP67, IK10, PoE, Micro SD card slot, up to 128GB	**7,760,000**
MIC-DR2320R-ZS	1/3” 3Megapixel progressive CMOS, Max 20fps@3M(2304x1296) &25/30fps@1080P(1920 x1080),DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,2.7~12mm Motorized lens, Max IR LEDs Length 30m,IP67, PoE ,IK10,Micro SD Card , 128 GB	**9,230,000**
MIC-BR4231E-AS-H	1/2.7” 2Megapixel progressive scan Exmor CMOS 3.6mm fixed lens 20/30fps@1080P(1920×1080) H.265 & H.264 & MJPEG triple stream encoding WDR(120dB), Day/Night(ICR), 3DNR,AWB,AGC,BLC Smart detection supported: Face Detection,Tripwire, Intrusion, Object Abandoned/Missing Built-in Mic Max. IR LEDs Length 50m Mirco SD card 128GB IP67, PoE	**5,370,000**
MIC-DR4231EM-AS	1/2.8” 2Megapixel progressive scan Exmor CMOS3.6mm fixed lens50/60fps@1080P(1920×1080) H.265+/H.265/H.264+/H.264 triple-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart detection supported: Face Detection, Tripwire, Intrusion, Object Abandoned/Missing Built-in Mic Max. IR LEDs Length 50mMirco SD card 128GBIP67, PoE	**9,180,000**
MIC-DR1431EB	1/3” 4Megapixel progressive CMOS 3.6mm fixed lens 20fps@4M(2688×1520) &25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Max. IR LEDs Length 30m IP67, IK10, PoE	**7,100,000**
DR-2421R-Z	1/3” 4Megapixel progressive CMOS 2.7~12mm Motorized lens H.264+ & H.264 dual-stream encoding 20fps@4M(2688×1520) &25/30fps@2M(1920×1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card slot, up to 128GB Max IR LEDs Length 30m IP67, IK10,PoE	**10,270,000**
MIC-DR2431R-VFS	1/3” 4Megapixel progressive CMOS 2.7~13.5mm varifocal lens 20fps@4M(2688×1520) & 25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 50m IP67,IK10, PoE	**9,950,000**
MIC-DR2431R-ZA	1/3” 4Megapixel progressive CMOS 2.7~13.5mm Motorized lens 20fps@4M(2688×1520) & 25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 1/1 Audio in/out, 1/1 Alarm in/out Mirco SD card 128GB Max IR LEDs Length 50m IP67,IK10, PoE	**11,820,000**
MIC-DR4431E-AS-H	1/3” 4Megapixel progressive scan CMOS 3.6mm fixed lens Max 20fps@4M(2592×1520) & 25/30fps@3M(2304×1296) H.265 & H.264 & MJPEG triple stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported Face Detection,Tripwire, Intrusion, Object Abandoned/Missing Built-in Mic Max. IR LEDs Length 50m Mirco SD card 128GB IP67, PoE	**7,090,000**
MIC-DR4830EM-AS	1/2.5” 8Megapixel progressive scan CMOS H.265+&H.265&H.264&MJPEG triple-stream encoding 15fps@4K(3840×2160),25/30fps@3Mp(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 4mm fixed lens Built-in Mic Max. IR LEDs Length 50m Micro SD card memory , 128 GB IP67, PoE Smart Detection (Tripwire|Intrusion | Scene Change | Face)	**13,200,000**

MAXRON

MIC-DR5431E-Z-H	1/3” 4Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 &MJPEG triple-stream encoding Max 20fps@4Mp(2560×1440),25/30fps@3M(2304x1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~12mm motorized lens Max. IR LEDs Length 50m IP67,IK10, PoE Micro SD card memory , 128 GB Audio in/Out Alarm In/Out Smart Detection (Tripwire|Intrusion | Scene Change | Face)	**12,820,000**
MIS-2025U-IR2	2MP 25x **Starlight** IR PTZ Network Camera 1/2.8” Exmor R CMOS H.264/H.265 Encoding Max. 50/60fps@1080P, 25/30/50/60fps@720P 4.8mm~120mm 25x optical zoom Max 400°/s pan speed, 360° endless pan rotation WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection) Support Defog and EIS Up to 300 presets,8 tour, 5 pattern, Auto scan, Auto Pan Built-in 2/1 Alarm in/out Audio 1/1 in/out Support PoE+ IR Distance up to 150m IP66,OSD	**39,720,000**
MIS-2030U-IR2	2MP 30x **Starlight** IR PTZ Network Camera 1/2.8” Exmor R CMOS H.264/H.265 Encoding Max. 50/60fps@1080P, 25/30/50/60fps@720P 4.5mm~135mm 30x optical zoom Max 400°/s pan speed, 360° endless pan rotation WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection) Support Defog and EIS Up to 300 presets,8 tour, 5 pattern, Auto scan, Auto Pan Built-in 2/1 Alarm in/out Audio 1/1 in/out Support PoE+ IR Distance up to 150m IP66,OSD	**53,690,000**
MIS-4030U-IR2	1/3” CMOS Sensor H.265&H.264 Encoding, Ultra-low bit rate transmission Max. 25/30fps@4M(2592×1520) & 50/60fps @1080P resolution WDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus 4.5mm ~ 135.0mm , 30x Optical Zoom Max 400°/s pan speed, 360° endless pan rotation Up to 300 presets, 5 auto scan, 8 tour, 5 pattern Micro SD card memory , 64 GB Audio In/Out Alarm In/Out IP66, POE+ IR Distance up to 100m(AC24V)/ 80m(DC12V) Smart Detection (Tripwire|Intrusion | Scene Change | Face| Anondoned- Missing Object)	**61,440,000**

MAXRON NVR

مدل	مشخصات	User
MN-0421S-P	4 channel IP camera input 4 channel Live Preview H.264+/H.264 decoding Max 80Mbps incoming bandwidth Up to 6Mp resolution preview & playback HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card 4 POE Port P2P support	**5,510,000**
MN-0821S-8P	8 channel IP camera input 8 channel Live Preview H.264+/H.264 decoding Max 80Mbps incoming bandwidth Up to 6Mp resolution preview & playback HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card 8 POE Port P2P support	**8,130,000**
MN-8401S-4KV2	8 channel IP camera input 8 channel Live Preview H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support	**8,760,000**
MN-1641	16 Channel IP camera input Up to 5 Mega Pixel Preview & PlaybackH.264/MJPEG dual codec decoding Max 80Mbps incoming bandwidth HDMI/VGA simultaneous video output 16 CH Playback Support 1 SATA HDD up to 6TB, 2 USB2.0100 Mbps Network Card P2P support	**9,130,000**
MN-1641S-4KV2	16 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support	**9,700,000**
MN-1642-4KV2	16 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 200Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 2 SATA HDD up to 6TB 2 USB Ports (1 USB2.0, 1 USB3.0) 4 Alarm Input, 2 Relay Output 1*10/100/1000Mbps Mbps Network Card P2P support	**14,170,000**
MN-3242-4KV2	32 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 200Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 2 SATA HDD up to 6TB 2 USB Ports (1 USB2.0, 1 USB3.0) 4 Alarm Input, 2 Relay Output 1*10/100/1000Mbps Mbps Network Card P2P support	**15,800,000**
MN-3252-4K	32 channel IP camera input32 channel Live Preview Up to 12Mp resolution preview&playbackH.265/H.264/MJPEG dual codec decoding Max 320Mbps incoming bandwidth Record Rate 320 Mbps Max 16ch@1080P H.265/H.264 decoding HDMI/VGA simultaneous video output16 channel playback Support 2 SATA HDDs up to 12TB, 2 USB(1 USB3.0)1000 Mbps Network Card RS2324 Alarm Input, 2 Relay Output Support P2P	**24,970,000**

MN-3244-4KV2	32 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 200Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 4 SATA HDD up to 6TB 2 USB Ports (1 USB2.0, 1 USB3.0) 16 Alarm Input, 4 Relay Output RS232 , RS485 2*10/100/1000Mbps Mbps Network Card P2P support	**21,480,000**
MN-3254-4K	32 channel IP camera input 32 channel Live Preview Up to 12Mp resolution preview & playback H.265/H.264/MJPEG dual codec decoding Max 320Mbps incoming bandwidth Record Rate 320 Mbps Max 16ch@1080P H.265/H.264 decoding 2 HDMI/VGA simultaneous video output Support 4 SATA HDDs up to 24TB, 3 USB(1 USB 3.0, 2 USB2.0) 2*1000 Mbps Network Card RS232 ,16 Alarm Input, 6 Relay Output Support P2P	**35,430,000**
MN-3248-4KV2	32 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 200Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 8 SATA HDD up to 6TB 3 USB Ports (2 USB2.0, 1 USB3.0) 16 Alarm Input, 4 Relay Output RS232 , RS485 2*10/100/1000Mbps Mbps Network Card P2P support	**36,190,000**
MN-3258-4K	32 channel IPC input32 Channel Live Preview H.265/H.264/MJPEG/MPEG4 codec decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview & playback Max 16ch@1080P | 4ch@4K H.265 | H.264 Playback2HDMI/VGA simultaneous video output Support 8 SATA HDDs up to 48TB, 4 USB(2 USB3.0, 2 USB2.0)2*1000 Mbps Network CardRS23216 Alarm In , 6 Relay OutputP2P Support Raid 0/1/5/6/10	**50,620,000**
MN-3268-4K	Intel Dual-core Processor 32 channel IPC input 32 Channel Live Preview: (1st Screen: 1/4/8/9/16/25/36, 2nd Screen: 1/4/8/9/16)H.265/H.264/MJPEG codec decoding Max 384Mbps incoming bandwidth Up to 12Mp resolution preview&playback2HDMI/VGA simultaneous video output Support 8 SATA HDDs up to 48TB, 1 eSATA Port Support Raid 0/1/5/6/104 USB(2 USB3.0, 2 USB2.0)2*1000 Mbps Network CardRS232 , RS48516 Alarm In , 8 Relay OutputP2P Support	**52,300,000**
MN-6454-4K	64 channel IPC input,32 Channel Live Preview H.265/H.264/MJPEG/MPEG4 codec decoding, Max 320Mbps incoming bandwidth, Up to 12Mp resolution preview & playback, Max 16ch@1080P | 4ch@4K H.265/ H.264 Playback,2HDMI/VGA simultaneous video output, Support 4 SATA HDDs up to 24TB, 3 USB(1 USB3.0, 2USB2.0),2*1000 Mbps Network Card,RS232 16 Alarm, In , 6 Relay Output,P2P Support ,16 Alarm	**43,720,000**
MN-6458-4K	64 channel IPC input ,32 Channel Live Preview H.265/H.264/MJPEG/MPEG4 codec decoding ,Max 320Mbps incoming bandwidth ,Up to 12Mp resolution preview & playback ,Max 16ch@1080P | 4ch@4K H.265 | H.264 Playback ,2HDMI/VGA simultaneous video output ,Support 8 SATA HDDs up to 48TB, 3 USB(1 USB3.0, 2USB2.0) ,2*1000 Mbps Network Card ,RS23216 Alarm In , 6 Relay OutputP2P Support ,Raid 0/1/5/6/10	**56,520,000**