






مدل :یف	مشخصات فنی	تصویر	قیمت (ریال)
1 EZ-IPC-B1B40P <b>NEW Product</b> 	1/3" 4Megapixel progressive scan CMOS H.265+ & H.265 dual-stream encoding 20fps@4M(2560×1440) & 25/30fps@3M(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 3.6mm fixed lens Max. IR LEDs Length 30m Support Smart IR IP67, PoE		14,250,000
2 EZ-IPC-B1B20P-L <b>NEW Product</b> 	1/2.7" 2Megapixel progressive scan CMOS H.265+ & H.265 dual-stream encoding 20fps@1080P(1920×1080) & 25/30fps@1.3MP(1280×960) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 3.6mm fixed lens Max. IR LEDs Length 30m Support Smart IR IP67, PoE		9,750,000
3 EZ-IPC-T1B40P <b>NEW Product</b> 	1/3" 4Megapixel progressive scan CMOS H.265+ & H.265 dual-stream encoding 20fps@4M(2560×1440) & 25/30fps@3M(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 3.6mm fixed lens Max. IR LEDs Length 30m Support Smart IR IP67, PoE		14,250,000
4 EZ-IPC-T1B20P-L <b>NEW Product</b> 	1/2.7" 2Megapixel progressive scan CMOS H.265+ & H.265 dual-stream encoding 20fps@1080P(1920×1080) & 25/30fps@1.3MP(1280×960) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 3.6mm fixed lens Max. IR LEDs Length 30m Support Smart IR IP67, PoE		9,750,000
5 IPC-B1A30	1/3" 3Megapixel progressive scan CMOS H.264+/H.264 dual-stream encoding 20fps@3M(2048x1536)&25/30fps@1080P(1920×1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens Max. IR LEDs Length 30m IP67, PoE		9,700,000


مدل :یف	مشخصات فنی	تصویر	قیمت (ریال)
6 IPC-B2A30	<p>1/3" 3Megapixel progressive scan CMOS  H.264+/H.264 dual-stream encoding  20fps@3M(2048x1536)&amp;25/30fps@1080P(1920x1080)  DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC  2.7~12mm Motorized lens  Micro SD card slot, up to 128GB  Max. IR LEDs Length 60m  IP67, PoE</p>		19,400,000
7 IPC-T1A30	<p>1/3" 3Megapixel progressive scan CMOS  H.264+/H.264 dual-stream encoding  20fps@3M(2048x1536)&amp;25/30fps@1080P(1920x1080)  DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC  2.8mm fixed lens  Max. IR LEDs Length 30m  IP67, PoE</p>		9,700,000
8 IPC-D1A30	<p>1/3" 3Megapixel progressive scan CMOS  H.264+/H.264 dual-stream encoding  20fps@3M(2048x1536)&amp;25/30fps@1080P(1920x1080)  DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC  2.8mm fixed lens  Max. IR LEDs Length 30m  IP67, IK10, PoE</p>		10,200,000
9 NVR1A04HS-4P	<p>4 channel IP camera input  1/4/8/9 channel Live Preview  H.264+/H.264 codec decoding  Max 80Mbps incoming bandwidth  Up to 6MP Resolution for Preview and Playback  HDMI/VGA simultaneous video output  Support 1 SATA HDD up to 6TB, 2 USB2.0  Support 4PoE port  100 Mbps Network Card  P2P support</p>		14,770,000
10 NVR1A08HS	<p>8 channel IP camera input  1/4/8/9 channel Live Preview  H.264+/H.264 codec decoding  Max 80Mbps incoming bandwidth  Up to 6MP Resolution for Preview and Playback  HDMI/VGA simultaneous video output  Support 1 SATA HDD up to 6TB, 2 USB2.0  100 Mbps Network Card  P2P support</p>		8,600,000


**EZ-IP**


**Surveillance Made Simple**

1	DH-PSD81602-A360	<p>8x2MP Multi-Sensor Panoramic Network Camera+PTZ Camera Panoramic: Eight 1/1.9" 2Megapixel progressive scan CMOS 5mm fixed lens PTZ: One 1/1.9" 2Megapixel progressive scan CMOS 5.5mm~206mm, 37x optical zoom H.265+/H.265/H.264+/H.264 triple-stream encoding 2x25fps@4096x1800+50/60fps@1080P Support 360-degree panoramic view WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC Smart tracking Intelligent Function(Tripwire, Intrusion) 2/1 channel Audio In/Out 7/2 channel Alarm In/Out RS485 Micro SD memory, IP67, IK10</p>		Call
---	------------------	---	---	------

2	DH-PSD8802-A180	<p>4x2MP Multi-Sensor Panoramic Network Camera+PTZ Camera Panoramic: Four 1/1.9" 2Megapixel progressive scan CMOS 5mm fixed lens PTZ: One 1/1.9" 2Megapixel progressive scan CMOS 5.5mm~206mm, 37x optical zoom H.265+/H.265/H.264+/H.264 triple-stream encoding 25fps@4096x1800+50/60fps@1080P Support 180-degree panoramic view WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC Smart tracking Intelligent Function(Tripwire, Intrusion) 2/1 channel Audio In/Out 7/2 channel Alarm In/Out RS485 Micro SD memory, IP67, IK10</p>		Call
---	-----------------	--	--	------



3	IPC-PFW8800-A180	<p>4x2MP Multi-Sensor Panoramic Network IR Bullet Camera Four 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 triple-stream encoding Max 25fps@4096x1800 3.0mm fixed lens Support 180-degree panoramic view DWDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC Intelligent Function  Tripwire, Intrusion, Object Abandoned/Missing, Heat Map, E-PTZ 1/1 channel Audio In/Out 2/2 channel Alarm In/Out Max. IR LEDs length 30m Micro SD memory, IP67, IK10,PoE+</p>		Call
---	------------------	---	---	------

4	IPC-PFW8601-A180	<p>3x2MP Multi-Sensor Panoramic Network IR Bullet Camera          Three 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS          H.265+/H.265/H.264+/H.264 triple-stream encoding          Max 25fps@4096x832          3.6mm fixed lens          Support 180-degree panoramic view          WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC          Intelligent Function  Tripwire, Intrusion, Object          Abandoned/Missing, Heat Map, E-PTZ          1/1 channel Audio In/Out          2/1 channel Alarm In/Out          Max. IR LEDs length 30m          Micro SD memory, IP67, IK10,PoE+</p>		Call
---	------------------	--	---	------

5	DH-IPC-PDBW8800-A180	<p>4x2MP Multi-Sensor Panoramic Network IR Dome Camera          Four 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS          H.265+/H.265/H.264+/H.264          Max 25fps@4096x1800          3.0mm fixed lens          Support 180-degree panoramic view          DWDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC          Intelligent Function  Tripwire, Intrusion, Object          Abandoned/Missing, Heat Map, E-PTZ          1/1 channel Audio In/Out          2/1 channel Alarm In/Out          Max. IR LEDs length 30m          Micro SD memory, IP67, IK10,PoE+</p>		Call
---	----------------------	--	--	------

### با قابلیت تشخیص پلاک، مناسب برای ورودی های پارکینگ

#### ANPR دوربین

6	DHI-ITC237-PW1B-IRZ	<p>2 Megapixel Full HD WDR Access ANPR Camera          -Embedded with LPR algorithm inside the camera          -Support plate cutout, overview picture snapshot and video recording          -Embedded with White list database,1 ch relay out to control the barrier          performance for outdoor applications:          1/2.8" 2Megapixel progressive scan CMOS          H.265/H.264M/H.264H/H.264B dual-stream encoding          25/30fps@1080P(1920×1080)          2.7mm~12mm Motorize lens          WDR(140dB),BLC,HLC,Day/Night(ICR),3DNR,AWB,AGC,BLC          Mirco SD card 64GB          IR Distance 3~8m          IP67, IK10, PoE</p>			92,000,000
---	---------------------	--	---	---	------------

مدل دیف	مشخصات فنی	تصویر	قیمت
7 DH-IPC5831EP-ZE 	<p>1/2.5" 8 Megapixel progressive scan STARVIS™ CMOS  H.265+/H.265/H.264+/H.264 Triple-stream encoding  15fps@4K(3840×2160),25/30fps@3Mp(2304×1296)  2.7mm ~12mm motorized lens  Max. Aperture F1.6  WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC  Micro SD card memory , 128 GB  1/1 Audio In/Out  2/1 Alarm In/Out  Max. IR LEDs Length 50m , Smart IR  IP67,IK10, PoE  Smart Detection (Tripwire Intrusion Object  Abandoned/Missing Face)</p>		52,000,000
8 DH-IPC-HFW4831EP-SE 	<p>1/2.5" 8Megapixel progressive scan CMOS  H.265+&amp;H.265&amp;H.264&amp;MJPEG triple-stream encoding  15fps@4K(3840×2160),25/30fps@3Mp(2304×1296)  DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC  4mm fixed lens  Max. IR LEDs Length 40m  Micro SD card memory , 128 GB  IP67, PoE  Smart Detection (Tripwire Intrusion   Scene Change   Face)</p>		32,100,000
9 IPC-HFW4631EP-SE 	<p>1/2.9" 6Megapixel progressive scan STARVISTM CMOS  H. 265+ &amp; H.265 &amp; H.264+ &amp; H.264 triple-stream encoding  20fps@6MP(3072x2048), 25/30fps@4MP(2688x1520)  WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC  3.6mm fixed lens  Max. IR LEDs Length 40m  Micro SD card memory , 128 GB  IP67, PoE  Smart Detection (Tripwire Intrusion  Object  Abandoned/Missing  Face)</p>		27,500,000
10 DH-IPC-HFW2531TP-ZS	<p>1/2.7" 5Megapixel progressive CMOS  2.7~13.5mm Motorized lens  15fps@5M(2592×1944)&amp;25/30fps@3M(2304×1296)  H.265+/H.265/H.264+/H.264 dual-stream encoding  WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC  Mirco SD card 128GB  Max IR LEDs Length 60m ,Smart IR  IP67, PoE  Smart Detection (Tripwire Intrusion)</p>		33,300,000





مدل دیف	مشخصات فنی	تصویر	قیمت
11 DH-IPC-HFW5431EP-Z-H	<p>1/3" 4Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 &amp; MJPEG triple-stream encoding Max 20fps@4Mp(2560×1440),25/30fps@3M(2304x1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~12mm motorized lens Max. IR LEDs Length 50m IP67, PoE Micro SD card memory , 128 GB Audio in/Out Alarm In/Out Smart Detection (Tripwire Intrusion   Scene Change   Face)</p>		31,700,000
12 DH-IPC-HFW5231EP-Z12	<p>1/2.8" 2Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 triple-stream encoding 50/60fps@1080(1920×1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 5.3mm ~ 64mm 12x zoom lens 1/1 Audio in/Out 2/1 Alarm In/Out Micro SD card memory , 128 GB Max. IR LEDs Length 200m , Smart IR IP67, IK10, PoE Smart Detection (Tripwire Intrusion Object Abandoned/Missing Face)</p>		48,100,000
13 DH-IPC-HFW5231EP-ZE	<p>1/2.8" 2Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 &amp; MJPEG triple-stream encoding 50/60fps@1080(1920×1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~ 13.5mm motorized lens 1/1 Audio in/Out 2/1 Alarm In/Out Micro SD card memory , 128 GB Max. IR LEDs Length 50m , Smart IRa IP67, IK10, PoE Smart Detection (Tripwire Intrusion Object Abandoned/Missing Face)</p>		39,800,000
14 DH-IPC-HFW4431DP-BAS-H <b>Eco-Savvy Lite</b>	<p>1/3" 4Megapixel progressive scan CMOS 3.6mm fixed lens Max 20fps@4M(2592×1520) &amp; 25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 &amp; MJPEG triple stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported Face Detection, Tripwire, Intrusion, Object Abandoned/Missing 1/1 Alarm in/out, 1/1 audio in/out Max. IR LEDs Length 80m Mirco SD card 128GB</p>		19,500,000

مدل دیف	مشخصات فنی	تصویر	قیمت
15 DH-IPC-HFW4431BP-BAS-H <b>Eco-Savvy Lite</b>	<p>1/3" 4Megapixel progressive scan CMOS 3.6mm fixed lens Max 20fps@4M(2592×1520) &amp; 25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 &amp; MJPEG triple stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported Face Detection, Tripwire, Intrusion, Object Abandoned/Missing 1/1 Alarm in/out, 1/1 audio in/out Max. IR LEDs Length 50m Mirco SD card 128GB</p>		19,100,000
16 DH-IPC-HFW2431TP-ZS	<p>1/3" 4 Megapixel progressive CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 20fps@4M(2688×1520)&amp;25/30fps@3M(2304×1296) 2.7mm ~13.5mm motorized lens WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card memory , 128 GB Max. IR LEDs Length 60m , Smart IR IP67, PoE+ Smart Detection (Tripwire Intrusion)</p>		29,200,000
17 DH-IPC-HFW1431SP	<p>1/3" 4Megapixel progressive CMOS 3.6mm fixed lens 20fps@4M(2688×1520) &amp;25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Max. IR LEDs Length 30m IP67, PoE</p>		19,100,000
18 DH-IPC-HFW4231EP-S <b>ECO-SAVVY 3.0</b>	<p>1/2.8" 2Megapixel progressive scan STARVIS™ CMOS(Starlight) 3.6mm fixed lens 50/60fps@1080P(1920×1080) H.265+/H.265/H.264+/H.264 triple-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported: Face Detection, Tripwire, Intrusion, Object Abandoned/Missing Max. IR LEDs Length 40m Mirco SD card 128GB</p>		22,100,000
19 DH-IPC-HFW2431RP-VFS	<p>1/3" 4Megapixel progressive CMOS 2.7~13.5mm varifocal lens 20fps@4M(2688×1520) &amp; 25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60m IP67, PoE</p>		5,500,000


مدل دیف	مشخصات فنی	تصویر	قیمت
20 DH-IPC--HFW2231RP-VFS-IRE6	<p>1/2.8" 2Megapixel progressive Starvis CMOS(<b>Starlight</b>)            2.7~13.5mm varifocal lens            25/30fps@2M(1920×1080)            H.265+/H.265/H.264+/H.264 dual-stream encoding            WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC            Mirco SD card 128GB            Max IR LEDs Length 60m            IP67, PoE</p>		23,700,000
21 DH-IPC--HFW2231RP-ZS-IRE6	<p>1/2.8" 2Megapixel progressive Starvis CMOS(<b>Starlight</b>)            2.7~13.5mm Motorized lens            25/30fps@2M(1920×1080)            H.265+/H.265/H.264+/H.264 dual-stream encoding            WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC            Mirco SD card 128GB            Max IR LEDs Length 60m            IP67, PoE</p>		25,800,000
22 DH-IPC-HFW1420SP	<p>1/3" 4Megapixel progressive scan CMOS            H.264&amp;MJPEG dual-stream encoding            Max 20fps@4M(2688×1520)&amp;25/30fps@3M(2304×1296)            DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC            3.6mm fixed lens            Max. IR LEDs Length 30m            IP67, PoE</p>		<b>Discontinue</b>
23 DH-IPC-HFW1320SP	<p>1/3" 3Megapixel progressive scan CMOS            H.264+/H/264 dual-stream encoding            Max 20fps@3M(2048× 1536)&amp;25/30fps@1080P(1920×1080)            DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC            3.6mm fixed lens            Max. IR LEDs Length 30m            IP67 PoE</p>		12,300,000
24 DH-IPC-HFW1230SP	<p>1/2.7" 2Megapixel progressive scan CMOS            H.265+/H.265/H.264+/H.264 dual-stream encoding            25/30fps@1080P(1920×1080)            DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC            3.6mm fixed lens            Max. IR LEDs Length 30m            IP67, PoE</p>		11,700,000
25 HDBW-5831EP-ZE 	<p>1/2.5" 8Megapixel progressive scan STARVIS™ CMOS            H.265+/H.265/H.264+/H.264 Triple-stream encoding            15fps@4K(3840×2160),25/30fps@3M(2304×1296)            WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC            2.7mm ~ 12mm motorized lens            1/1 Audio in/Out            1/1 Alarm In/Out            Micro SD card memory , 128 GB            Max. IR LEDs Length 50m , Smart IR            IP67, IK10, PoE+            Smart Detection (Tripwire Intrusion Object Abandoned/Missing Face)</p>		52,000,000






مدل ديف	مشخصات فني	تصوير	قيمت
26 HDBW-5831EP-ZE 	<p>1/2.5" 8Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 Triple-stream encoding 15fps@4K(3840×2160),25/30fps@3M(2304×1296) WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~ 12mm motorized lens 1/1 Audio in/Out 1/1 Alarm In/Out Micro SD card memory , 128 GB Max. IR LEDs Length 50m , Smart IR IP67, IK10, PoE+ Smart Detection (Tripwire Intrusion Object Abandoned/Missing Face)</p>		52,000,000
27 DH-IPC-HDBW5431EP-Z-	<p>1/3" 4Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 &amp; MJPEG triple-stream encoding Max 20fps@4Mp(2560×1440),25/30fps@3M(2304x1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~12mm motorized lens Max. IR LEDs Length 50m IP67,IK10, PoE Micro SD card memory , 128 GB Audio in/Out Alarm In/Out Smart Detection (Tripwire Intrusion   Scene Change   Face)</p>		31,700,000
28 DH-IPC-HDBW4831EP-ACE 	<p>1/2.5" 4K progressive scan Starvis CMOS H.265+/H.265/H.264+/H.264 encoding 15fps@4K(3840×2160),25/30fps@3Mp(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 4mm fixed lens Max. IR LEDs Length 30m Alarm in/out Audio in/out Micro SD card memory , 128 GB IP67,IK10, PoE Smart Detection (Tripwire Intrusion Scene Change Object Abandoned/Missing  Face)</p>		32,100,000
29 DH-IPC-HDW4831EMP-ASE 	<p>1/2.5" 4K progressive scan CMOS H.265+/H.265/H.264+/H.264 encoding 15fps@4K(3840×2160),25/30fps@3Mp(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 4mm fixed lens Max. IR LEDs Length 50m Built-in Mic Micro SD card memory , 128 GB IP67,PoE Smart Detection (Tripwire Intrusion Scene Change Object Abandoned/Missing  Face)</p>		32,100,000

30 HDW4631EM-ASE	<p>1/2.9" 6Megapixel progressive scan STARVISTM CMOS H. 265+ &amp; H.265 &amp; H.264+ &amp; H.264 triple-stream encoding 20fps@6MP(3072x2048), 25/30fps@4MP(2688x1520) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens Built-in Mic Max. IR LEDs Length 50m, Smart IR Micro SD card memory , 128 GB IP67, PoE Smart Detection (Tripwire Intrusion  Object Abandoned/Missing  Face)</p>		27,500,000
31 DH-IPC-HDW4431EP-AS- <b>Eco-Savvy Lite</b>	<p>1/3" 4Megapixel progressive scan CMOS 3.6mm fixed lens Max 20fps@4M(2592x1520) &amp; 25/30fps@3M(2304x1296) H.265+/H.265/H.264+/H.264 &amp; MJPEG triple stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported Face Detection, Tripwire, Intrusion, Object Abandoned/Missing Built-in Mic Max. IR LEDs Length 50m Mirco SD card 128GB</p>		19,100,000
32 HDBW2531RP-ZAS	<p>1/2.7" 5Megapixel progressive CMOS 2.7~13.5mm Motorized lens 20fps@5M(2592x1944)&amp;25/30fps@3M(2304x1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 1/1 Audio in/out, 1/1 Alarm in/out Mirco SD card 128GB Max IR LEDs Length 30m ,Smart IR IP67,IK10, PoE</p>		33,300,000
33 DH-IPC-HDBW2431RP-Z	<p>1/3" 4Megapixel progressive CMOS 2.7~13.5mm Motorized lens 20fps@4M(2688x1520) &amp; 25/30fps@3M(2304x1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 1/1 Audio in/out, 1/1 Alarm in/out Mirco SD card 128GB Max IR LEDs Length 50m IP67,IK10, PoE</p>		29,200,000
34 DH-IPC-HDBW2421RP-Z	<p>1/3" 4Megapixel progressive CMOS 2.7~12mm Motorized lens H.264+ &amp; H.264 dual-stream encoding 20fps@4M(2688x1520) &amp; 25/30fps@2M(1920x1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card slot, up to 128GB Max IR LEDs Length 30m IP67, IK10, PoE</p>		22,800,000

مدل دیف	مشخصات فنی	تصویر	قیمت
35 DH-IPC-HDBW2421RP	<p>1/3" 4Megapixel progressive CMOS            2.7~12mm varifocal lens            20fps@4M(2688x1520) &amp; 25/30fps@2M (2304x1296)            H.264+ &amp; H.264 dual-stream encoding            WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC            Mirco SD card 128GB            Max IR LEDs Length 30m            IP67, IK10, PoE</p>		19,700,000
36 DH-IPC-HDBW2431RP	<p>1/3" 4Megapixel progressive CMOS            2.7~13.5mm varifocal lens            20fps@4M(2688x1520)&amp;25/30fps@3M(2304x1296)            H.265+/H.265/H.264+/H.264 dual-stream encoding            WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC            Mirco SD card 128GB            Max IR LEDs Length 50m            IP67, IK10, PoE</p>		25,000,000
37 DH-IPC-HDBW1431EP	<p>1/3" 4Megapixel progressive CMOS            3.6mm fixed lens            20fps@4M(2688x1520) &amp;25/30fps@3M(2304x1296)            H.265+/H.265/H.264+/H.264 dual-stream encoding            WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC            Max. IR LEDs Length 30m            IP67, IK10, PoE</p>		19,400,000
38 DH-IPC-HDW1431SP	<p>1/3" 4Megapixel progressive CMOS            2.8mm fixed lens            20fps@4M(2688x1520) &amp;25/30fps@3M(2304x1296)            H.265+/H.265/H.264+/H.264 dual-stream encoding            WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC            Max. IR LEDs Length 30m            IP67, PoE</p>		19,100,000
39 DH-IPC-HDPW1420FP	<p>1/3" 4Megapixel progressive scan CMOS            H.264 &amp; MJPEG dual codec            Max 20fps@4M(2688*1520), 25/30fps@3M(2304*1296)            Smart Detection supported            DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC            3.6mm fixed lens            Built-in Mic            Mirco SD card 128GB            Max. IR LEDs Length 20m            IP66,PoE</p>		Discontinue
40 DH-IPC-HDW1420SP	<p>1/3" 4Megapixel progressive scan CMOS            H.264&amp;MJPEG dual-stream encoding            Max 20fps@4M(2688x1520)&amp;25/30fps@3M(2304x1296)            DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC            3.6mm fixed lens            Max. IR LEDs Length 30m            IP67, PoE</p>		Discontinue

مدل دیف	مشخصات فنی	تصویر	قیمت
41 DH-IPC-HDBW1320EP-A	<p>1/3" 3Megapixel progressive scan CMOS  H.264+/H.264 dual-stream encoding  Max 20fps@3M(2048x1536)  (2304x1296)&amp;25/30fps@1080P(1920x1080)  DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC  3.6mm fixed lens  Max. IR LEDs Length 30m  Micro SD card Memory , 128 GB  Audio In/Out  IP67, IK10, PoE</p>		,900,000
42 DH-IPC-HDW1230SP	<p>1/2.7" 2Megapixel progressive scan CMOS  H.265+/H.265/H.264+/H.264 dual-stream encoding  25/30fps@1080P(1920x1080)  DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC  2.8mm fixed lens  Max. IR LEDs Length 30m  IP67, PoE</p>		11,700,000
43 DH-IPC-HDBW1230EP	<p>1/2.7" 2Megapixel progressive scan CMOS  H.265+/H.265/H.264+/H.264 dual-stream encoding  25/30fps@1080P(1920x1080)  DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC  3.6mm fixed lens  Max. IR LEDs Length 30m  IP67, IK10, PoE</p>		12,200,000
44 DH-IPC-HDBW8231EP-Z	<p>1/2.8" 2Megapixel progressive scan CMOS  H.265+/H.265/H.264+/H.264 triple-stream encoding  50/60fps@1080P(1920x1080)  WDR(140dB), SSA, Day/Night(ICR), 3DNR,AWB,AGC,BLC  2.7mm ~12mm motorized lens  Max. IR LEDs Length 50m  Micro SD card memory , 128 GB  Audio In/Out  Alarm In/Out  Support EIS ,Defog  Support <b>People Counting, Heat Map</b>  IP67, IK10, PoE  Smart Detection (Tripwire Intrusion Scene Change Object  Abandoned/Missing  Face)</p>		Call
45 DH-SD29204T-GN	<p>1/2.7" 2MP CMOS Sensor  H.264+/H.264 Encoding  Max. 25/30fps@1080P, 25/30/50/60fps@720P  WDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus  2.7mm ~ 11mm , 4x Optical Zoom  Max 100°/s pan speed, 360° endless pan rotation  Up to 300 presets, 5 auto scan, 8 tour, 5 pattern  Built-in Mic  IR Distance up to 30m  support POE  Smart Detection (Tripwire Intrusion   Scene Change   Face   Abandoned-Missing Object)</p>		33,300,000




مدل دیف	مشخصات فنی	تصویر	قیمت
46 DH-SD1A203T-GN	<p>1/2.8" 2MP STARVIS™ CMOS (Starlight)  H.265+/H.265/H.264+/H.264 Triple-streams encoding  Max. 25/30fps@1080P  WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus  2.7mm ~ 8.1mm , 3x Optical Zoom  Max Pan: 80° /s; Tilt: 40° /s speed  Pan: 0° ~ 355°; Tilt: 5° ~ 90° rotation  Up to 300 presets, 5 auto scan, 8 tour, 5 pattern  Support Defog  IR Distance up to 15m  IP 66, support POE  Smart Detection  (Tripwire   Intrusion   Abandoned/Missing   Face Detection)</p>		35,500,000
47 DH-SD6CE230U-HNI	<p>1/2.8" 2MP STARVIS™ CMOS  H.265+/H.265/H.264+/H.264 Encoding  Max. 50/60fps@1080P  4.5mm~135mm Powerful 30x optical zoom  Max 200°/s pan speed, 360° endless pan rotation  WDR(120db), Day/Night(ICR), Ultra DNR, BLC, HLC  Auto-tracking and IVS(Tripwire,  Intrusion, Abandoned/Missing, Face Detection, Heat Map)  Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan  Support Defog, ROI, EIS  Alarm 7/2 in/out  Audio 1/1 in/out  1*Video output  RS485  IR Distance up to 200m  PoE+, IP67, IK10</p>		1,900,000
49 DH-SD6CE225U-HNI	<p>1/2.8" 2Megapixel STARVIS™ CMOS  H.265+/H.265/H.264+/H.264 Triple-streams encoding  Max. 50/60fps@1080P  4.8mm~120mm 25x optical zoom  Max 200°/s pan speed, 360° endless pan rotation  WDR(120dB), Day/Night(ICR), Ultra DNR, BLC, HLC  Support Defog, ROI, EIS  Auto-tracking and IVS(Tripwire,  Intrusion, Abandoned/Missing, Face Detection, Heat Map)  Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan  1*Video output  Rs485  Alarm 7/2 in/out  Audio 1/1 in/out  IR Distance up to 200m  PoE+, IP67, IK10</p>		106,500,000

مدل دیف	مشخصات فنی	تصویر	قیمت
50 DH-SD49225T-HN	<p>1/2.8" 2Megapixel STARVIS™ CMOS  H.265+/H.265/H.264+/H.264 Triple-streams encoding  Max. 25/30fps@1080P  4.8mm~120mm 25x optical zoom  Max 240°/s pan speed, 360° endless pan rotation  WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus  Support Defog  IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection)  Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan  Alarm 2/1 in/out  Audio 1/1 in/out  Support PoE+  IR Distance up to 100m  IP66</p>		77,400,000
51 DH-SD65F230F-HNI <b>Super Starligh</b>	<p>1/1.9" 2MP CMOS Sensor <b>(Super Starlight)</b>  H.264 / MJPEG Encoding  Max. 25/30fps@1080P, 25/30/50/60fps@720P  6mm~180mm Powerful 30x optical zoom  Max 300°/s pan speed, 360° endless pan rotation  WDR(120db), Day/Night(ICR), Ultra DNR, BLC, HLC, Auto iris, Auto focus  Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection)  Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan  Support Defog, ROI, EIS  Alarm 7/2 in/out  Audio 1/1 in/out  1 video output  RS485  IR Distance up to 100m  Support PoE+  IP66, IK10</p>		Call
52 DH-SD59225U-HNI	<p>2MP 25x <b>Starlight</b> IR PTZ Network Camera  1/2.8" Exmor R CMOS  H.265+/H.265/H.264+/H.264 Encoding  Max. 50/60fps@1080P, 25/30/50/60fps@720P  4.8mm~120mm 25x optical zoom  Max 400°/s pan speed, 360° endless pan rotation  WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus  Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection)  Support Defog and EIS  Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan  Built-in 2/1 Alarm in/out  Audio 1/1 in/out  Support PoE+  IR Distance up to 150m  IP66 OSD</p>		98,000,000

مدل دیف	مشخصات فنی	تصویر	قیمت
53 DH-SD59230U-HNI	<p>2MP 30x <b>Starlight</b> IR PTZ Network Camera            1/2.8" Exmor R CMOS            H.265+/H.265/H.264+/H.264 Encoding            Max. 50/60fps@1080P, 25/30/50/60fps@720P            4.5mm~135mm 30x optical zoom            Max 400°/s pan speed, 360° endless pan rotation            WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus            Auto-tracking and IVS(Tripwire, Intrusion,Abandoned/Missing, Face Detection)            Support Defog and EIS            Up to 300 presets,8 tour, 5 pattern, Auto scan, Auto Pan            Built-in 2/1 Alarm in/out            Audio 1/1 in/out            Support PoE+            IR Distance up to 150m            IP66,OSD</p>		143,000,000
54 DH-SD59430U-HNI	<p>1/3" CMOS Sensor            H.265+/H.265/H.264+/H.264 Encoding, Ultra-low bit rate transmission            Max. 25/30fps@4M(2592×1520) &amp; 50/60fps @1080P resolution            WDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus            4.5mm ~ 135.0mm , 30x Optical Zoom            Max 400°/s pan speed, 360° endless pan rotation            Up to 300 presets, 5 auto scan, 8 tour, 5 pattern            Micro SD card memory , 64 GB            Audio In/Out            Alarm In/Out            IP66, POE+            IR Distance up to 100m(AC24V)/ 80m(DC12V)            Smart Detection (Tripwire Intrusion   Scene Change   Face </p>		159,500,000
55 DH-SD60230T-HN	<p>1/2.8" 2Mp CMOS Sensor            H.264+/H.264 Encoding, Ultra-low bit rate transmission            Max. 30fps@1080P(2592×1520) &amp; 60fps @720P resolution            DWDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus            4.5mm ~ 135.0mm , 30x Optical Zoom            Max 600°/s pan speed, 360° endless pan rotation            Up to 300 presets, 5 auto scan, 8 tour, 5 pattern            Micro SD card memory , 64 GB            Audio In/Out            Alarm In/Out            IP67,IK10, POE+            Smart Detection (Tripwire Intrusion   Scene Change   Face  Anondoned-Missing Object)</p>		Call
56 DHI-NVR2104HS-4KS2	<p>4 channel IP camera input            H.265/H.264 codec decoding            Max 80Mbps incoming bandwidth            Up to 8Mp resolution preview&amp;playback            Up to 1ch@8MP/4ch@1080P decoding            HDMI/VGA simultaneous video output            Support 1 SATA HDD up to 6TB, 2 USB2.0            100 Mbps Network Card            P2P support</p>		12,300,000


مدل دیف	مشخصات فنی	تصویر	قیمت
57 DHI-NVR2104HS-P-4KS2	<p>4 channel IP camera input                      H.265/H.264 codec decoding                      Max 80Mbps incoming bandwidth                      Up to 8Mp resolution preview&amp;playback                      Up to 1ch@8MP/4ch@1080P decoding                      HDMI/VGA simultaneous video output                      Support 1 SATA HDD up to 6TB, 2 USB2.0                      100 Mbps Network Card                      4PoE Port                      P2P support</p>		18,200,000
58 DH-NVR2108HS-4KS2	<p>8 channel IP camera input                      H.265/H.264 codec decoding                      Max 80Mbps incoming bandwidth                      Up to 8Mp resolution preview&amp;playback                      Up to 1ch@8MP/4ch@1080P decoding                      HDMI/VGA simultaneous video output                      Support 1 SATA HDD up to 6TB, 2 USB2.0                      100 Mbps Network Card                      P2P support</p>		13,900,000
59 DH-NVR-2108HS-8P-4KS	<p>8 channel IP camera input                      H.265/H.264 codec decoding                      Max 80Mbps incoming bandwidth                      Up to 8Mp resolution preview&amp;playback                      Up to 1ch@8MP/4ch@1080P decoding                      HDMI/VGA simultaneous video output                      Support 1 SATA HDD up to 6TB, 2 USB2.0                      100 Mbps Network Card                      8Port PoE                      P2P support</p>		25,900,000
60 DH-NVR4108HS-4KS2	<p>8 channel IP camera input                      1/4/8/9 channel Live Preview                      8CH Playback                      H.265/H.264 codec decoding                      Max 80Mbps incoming bandwidth                      Up to 8MP Resolution for Preview and Playback                      HDMI/VGA simultaneous video output                      Support 1 SATA HDD up to 6TB, 2 USB2.0                      100 Mbps Network Card                      P2P support</p>		18,800,000
61 DH-NVR4116HS-4KS2	<p>16 channel IP camera input                      16 channel Live Preview                      H.265/H.264 codec decoding                      Max 80Mbps incoming bandwidth                      Up to 8MP Resolution for Preview and Playback                      HDMI/VGA simultaneous video output                      Support 1 SATA HDD up to 6TB, 2 USB2.0                      100 Mbps Network Card                      P2P support</p>		24,700,000





مدل دیفا	مشخصات فنی	تصویر	قیمت
62 DH-NVR4216-4KS2	<p>16 channel IP camera input  16 channel Live Preview  H.265/H.264 codec decoding  Max 200Mbps incoming bandwidth  Up to 8MP Resolution for Preview and Playback  HDMI/VGA simultaneous video output  Support 2 SATA HDD up to 6TB  2 USB Ports (1 USB2.0, 1 USB3.0)  4 Alarm Input, 2 Relay Output  1*10/100/1000Mbps Mbps Network Card  P2P support</p>		37,800,000
63 DH-NVR4232-4KS2	<p>32 channel IP camera input  16 channel Live Preview  H.265/H.264 codec decoding  Max 200Mbps incoming bandwidth  Up to 8MP Resolution for Preview and Playback  HDMI/VGA simultaneous video output  Support 2 SATA HDD up to 6TB  2 USB Ports (1 USB2.0, 1 USB3.0)  4 Alarm Input, 2 Relay Output  1*10/100/1000Mbps Mbps Network Card  P2P support</p>		41,400,000
64 DH-NVR5232-4KS2	<p>32 channel IP camera input  32 channel Live Preview  Up to 12Mp resolution preview&amp;playback  Smart H.265+/H.265/Smart H.264+/H.264/MJPEG  Max 320Mbps incoming bandwidth  Record Rate 320 Mbps  Max 4-ch@8MP(30fps), 16-ch@1080P(30fps) decoding  HDMI/VGA simultaneous video output  16 channel playback  Support 2 SATA HDDs up to 20TB, 2 USB(1 USB3.0)  1000 Mbps Network Card  RS232, RS485  4 Alarm Input, 2 Relay Output  Support P2P</p>		64,700,000
65 DH-NVR4432-4KS2	<p>32 channel IP camera input  16 channel Live Preview  H.265/H.264 codec decoding  Max 200Mbps incoming bandwidth  Up to 8MP Resolution for Preview and Playback  HDMI/VGA simultaneous video output  Support 4 SATA HDD up to 6TB  2 USB Ports (1 USB2.0, 1 USB3.0)  16 Alarm Input, 4 Relay Output  RS232 , RS485  2*10/100/1000Mbps Mbps Network Card  P2P support</p>		54,300,000


66	DH-NVR5432-4KS2	<p>32 channel IPC input  32 channel Live Preview  Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding  Max 320Mbps incoming bandwidth  Up to 12Mp resolution preview&amp;playback  Max 4-ch@8MP(30fps), 16-ch@1080P(30fps) decoding  2 HDMI/VGA simultaneous video output  Support 4 SATA HDDs up to 40TB, 3 USB(1 USB3.0, 2USB2.0)  Support 1 e-SATA  2*1000 Mbps Network Card  RS232, RS485  16 Alarm In , 6 Relay Output  P2P Support</p>		95,700,000
67	DH-NVR5464-4KS2	<p>64 channel IPC input  64 channel Live Preview  Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding  Max 320Mbps incoming bandwidth  Up to 12Mp resolution preview&amp;playback  Max 4-ch@8MP(30fps), 16-ch@1080P(30fps) decoding  2 HDMI/VGA simultaneous video output  Support 4 SATA HDDs up to 40TB, 3 USB(1 USB3.0, 2USB2.0)  Support 1 e-SATA  2*1000 Mbps Network Card  RS232, RS485  16 Alarm In , 6 Relay Output  P2P Support</p>		115,900,000
68	DH-NVR4832-4KS2	<p>32 channel IP camera input  16 channel Live Preview  H.265/H.264 codec decoding  Max 200Mbps incoming bandwidth  Up to 8MP Resolution for Preview and Playback  HDMI/VGA simultaneous video output  Support 8 SATA HDD up to 6TB  3 USB Ports (2 USB2.0, 1 USB3.0)  16 Alarm Input, 4 Relay Output  RS232 , RS485  2*10/100/1000Mbps Mbps Network Card  P2P support</p>		96,400,000
69	DH-NVR5832-4KS2	<p>32 channel IPC input  32 Channel Live Preview  H.265/H.264/MJPEG/MPEG4 codec decoding  Max 320Mbps incoming bandwidth  Up to 12Mp resolution preview&amp;playback  Max 16ch@1080P   4ch@4K H.265   H.264 Playback  2HDMI/VGA simultaneous video output  Support 8 SATA HDDs up to 48TB, 4 USB(2 USB3.0, 2 USB2.0)  2*1000 Mbps Network Card  RS232  16 Alarm In , 6 Relay Output  P2P Support  Raid 0/1/5/6/10</p>		127,800,000




مدل دیف	مشخصات فنی	تصویر	قیمت
70 DH-NVR5864-4KS2	<p>64 channel IPC input            32 Channel Live Preview            H.265/H.264/MJPEG/MPEG4 codec decoding            Max 320Mbps incoming bandwidth            Up to 12Mp resolution preview&amp;playback            Max 16ch@1080P   4ch@4K H.265   H.264 Playback            2HDMI/VGA simultaneous video output            Support 8 SATA HDDs up to 48TB, 3 USB(1 USB3.0, 2USB2.0)            2*1000 Mbps Network Card            RS232            16 Alarm In , 6 Relay Output            P2P Support            Raid 0/1/5/6/10</p>		145,800,000
71 DH-NVR608-32-4KS2	<p>Intel Dual-core Processor            32 channel IPC input            32 Channel Live Preview:            (1st Screen:1/4/8/9/16/25/36,2nd Screen: 1/4/8/9/16)            H.265/H.264/MJPEG codec decoding            Max 384Mbps incoming bandwidth            Up to 12Mp resolution preview&amp;playback            2HDMI/VGA simultaneous video output            Support 8 SATA HDDs up to 48TB,1 eSATA Port            Support Raid 0/1/5/6/10            4 USB(2 USB3.0, 2 USB2.0)            2*1000 Mbps Network Card            RS232 , RS485            16 Alarm In , 8 Relay Output</p>		134,400,000
72 DH-NVR608-64-4KS2	<p>Intel Quad-core Processor            64 channel IPC input            32 Channel Live Preview:            (1st Screen:1st Screen: 1/4/8/9/16/25/36 ,2nd Screen:            1/4/8/9/16)            H.265/H.264/MJPEG codec decoding            Max 384Mbps incoming bandwidth            Up to 12Mp resolution preview &amp; playback            2HDMI/VGA simultaneous video output            Support 8 SATA HDDs up to 48TB,1 eSATA Port            Support Raid 0/1/5/6/10            Support Smart Tracking and Intelligent Video            4 USB(2 USB3.0, 2 USB2.0)            2*1000 Mbps Network Card            RS232 , RS485            16 Alarm In , 8 Relay Output</p>		233,500,000
73 DH-ESS1508C	<p>2U standard 19-inch rack case            Connect master device via eSATA or USB            1 eSATA port transmission speed up to 3Gbps            1 USB 3.0 port data transmission higher than normal            Powerful R / W performance: read &gt;64MB/s, write &gt;64MB/s            ESS1508C: Max support Internal 8 SATA HDD up to 48TB            Recommended with DVR, NVR connection</p>		57,000,000




74	DH-PFS3006-4ET-60	<p>4-Port Fast Ethernet PoE Switch            Layer two commercial switch            2*10/100 Mbps Uplink ports            4*10/100 Mbps PoE ports            Port1≤60W, Port2-4≤30W, Total≤60W            Support IEEE802.3af, IEEE802.3at(PoE+) ,Hi PoE            1.8Gbps Switching Capacity            890Kpps Mpps Packet Forwarding Rate            768Kb Packet Buffer Memory            MAC atable size is 2K            Supports DC 48-57V power supply</p>		8,160,000
----	-------------------	--	---	-----------

75	DH-PFS3010-8ET-96	<p>8-Port Fast Ethernet PoE Switch            Layer two commercial switch            2*10/100/1000 Mbps Ports            8*10/100 Mbps PoE Ports            Port1≤60W, Port2-8≤30W, Total≤96W            Support IEEE802.3af (PoE), IEEE802.3at (PoE+), Hi-PoE            5.6Gbps Switching Capacity            4.17 MppsPacket Forwarding Rate            4Mb Packet Buffer Memory            MAC Table Size is 16K            Supports DC 48-57V power supply</p>		14,500,000
----	-------------------	---	---	------------

76	DH-PFS3110-8P-96	<p>Two-layer industrial PoE switch            1*1000 Base-X            1*10/100/1000 Base-T            8*10/100 Base-T (PoE power supply)            Each POE power ≤30W, Total≤96W            Support IEEE802.3af, IEEE802.3at standard            7.6G Switching Capacity            4.17 MppsPacket Forwarding Rate            1Mb Packet Buffer Memory            MAC auto study and aging, MAC address list capacity is 8K            Industrial wide temperature design</p>		16,800,000
----	------------------	---	---	------------

77	DH-PFS4218-16ET-190	<p>Layer 2 management PoE switch            2*10/100/1000 Base-T (Combo port)            2*1000 Base-X (Combo port)            16*10/100 Base-T (PoE power supply)            Port1/2 support Hi-PoE (60W), PoE+, PoE            Each power ≤30W, Total≤190W            Support IEEE802.3af, IEEE802.3at, Hi-PoE            250 meters long distance PoE transmission            Support spanning tree protocol STP/RSTP            Support Vlan:VLAN/802.1Q Standard Vlan            8.8G Switching Capacity            5.36 Mpps Packet Forwarding Rate            Network Management by WEB(http and https protocol)</p>		47,700,000
----	---------------------	---	--	------------

مدل دیف	مشخصات فنی	تصویر	قیمت
78 DH-PFS4218-16ET-240	<p>Layer 2 management PoE switch            2*10/100/1000 Base-T (Combo port)            2*1000 Base-X (Combo port)            16*10/100 Base-T (PoE power supply)            Port1/2 support Hi-PoE (60W), PoE+, PoE            Each power ≤30W, Total≤240W            Support IEEE802.3af, IEEE802.3at, Hi-PoE            250 meters long distance PoE transmission            Support spanning tree protocol STP/RSTP            Support Vlan:VLAN/802.1Q Standard Vlan            8.8G Switching Capacity            5.36 Mpps Packet Forwarding Rate            Network Management by WEB(http and https protocol)</p>		53,200,000
79 DH-PFS4226-24ET-240	<p>24-Port PoE Switch            Layer 2 management PoE switch            2*10/100/1000 Base-T (Combo port)            2*1000 Base-X (Combo port)            24*10/100 Base-T (PoE power supply)            Port1/2 support Hi-PoE (60W), PoE+, PoE            Each power ≤30W, Total≤240W            Support IEEE802.3af, IEEE802.3at, Hi-PoE            250 meters long distance PoE transmission            Support spanning tree protocol STP/RSTP            Support Vlan:VLAN/802.1Q Standard Vlan            8.8G Switching Capacity            6.55 Mpps Packet Forwarding Rate            Network Management by WEB(http and https protocol)</p>		56,900,000
80 DH-PFS4226-24ET-360	<p>24-Port PoE Switch            Layer 2 management PoE switch            2*10/100/1000 Base-T (Combo port)            2*1000 Base-X (Combo port)            24*10/100 Base-T (PoE power supply)            Port1/2 support Hi-PoE (60W), PoE+, PoE            Each power ≤30W, Total≤360W            Support PoE, PoE+, Hi-PoE            'Orange port' support Hi-PoE, can be used with the PoE            extender (PFT1300)            250 meters long distance PoE transmission            Support spanning tree protocol STP/RSTP            Support Vlan:VLAN/802.1Q Standard Vlan            8.8G Switching Capacity            6.55 Mpps Packet Forwarding Rate            Support Web management            management, PoE Setting/Event Statistics/Green PoE            Non-blocking video transmission</p>		67,500,000

مدل دیف	مشخصات فنی	تصویر	قیمت
81 PFT1300	<p>PoE Extender</p> <p>1*10/100 Base-T PoE power receiving port</p> <p>1*10/100 Base-T PoE power supply port, supply power for the next extender</p> <p>1*10/100 Base-T PoE power supply port, supply power for IPC</p> <p>Support passive PoE cascade power supply and Ethernet data exchange</p> <p>Support IEEE 802.3af/at standard power supply IP Camera able to cascade level 2 PoE Extender, connect to 3 IPC (power consumption &lt;=8W), maxtransmission distance</p>		3,400,000
82 PFM700	<p>*1 Channel HDMI Transmission Signal</p> <p>*1080P/1080I/720P/576P/576I/480P/480I Resolution</p> <p>Output Signal</p> <p>*60M (max)Transmission Distance</p> <p>*Input voltage DC5V</p> <p>*Use single UTP (CAT-5E and CAT-6) real-time transmit 1-ch HD video</p> <p>signal:support HDMI 1.3</p>		9,500,000
83 DHI-NKB1000	<p>Keyboard to Control :</p> <ul style="list-style-type: none"> <li>-Dahua High Speed Dome (all models)</li> <li>-Dahua Standalone DVR</li> <li>-Dahua Network High Speed Dome</li> <li>-Network Video Server</li> </ul> <p>Connection : RS485, RS422, USB, RS232 &amp; Network</p> <p>Three Dimensional Joystick Control of PTZ Functions</p> <p>Preset Position, Auto Scan, Auto Pan, Auto Tour &amp; Pattern Control</p> <p>On-Screen Menu &amp; User Operation Procedure Tips</p> <p>Connect to SmartPSS via USB</p>		45,800,000

پس از انتخاب، جهت اطلاع از موجودی با فروشگاه تماس بگیرید ۰۲۱۴۶۰۸۳۹۵۴