

## EZ-IP

## Surveillance Made Simple

مدل ردیف	مشخصات فنی	تصویر	قیمت (ریال)
1 IPC-B2B40-ZS	<p>1/3" 4Megapixel progressive scan CMOS H.265+ &amp; H.265 dual-stream encoding 20fps@4M(2560×1440) &amp; 25/30fps@3M(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 2.8~12mm varifocal lens Max. IR LEDs Length 40m Support Smart IR Micro SD card memory IP67, PoE</p>		19,500,000
2 EZ-IPC-B1B40P <b>EZ-IP 2</b>	<p>1/3" 4Megapixel progressive scan CMOS H.265+ &amp; H.265 dual-stream encoding 20fps@4M(2560×1440) &amp; 25/30fps@3M(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 3.6mm fixed lens Max. IR LEDs Length 30m Support Smart IR IP67, PoE</p>		14,250,000
3 EZ-IPC-B1B20P-L <b>EZ-IP 2</b>	<p>1/2.7" 2Megapixel progressive scan CMOS H.265+ &amp; H.265 dual-stream encoding 20fps@1080P(1920×1080) &amp; 25/30fps@1.3MP(1280×960) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 3.6mm fixed lens Max. IR LEDs Length 30m Support Smart IR IP67, PoE</p>		9,750,000
4 EZ-IPC-T1B40P <b>EZ-IP 2</b>	<p>1/3" 4Megapixel progressive scan CMOS H.265+ &amp; H.265 dual-stream encoding 20fps@4M(2560×1440) &amp; 25/30fps@3M(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 3.6mm fixed lens Max. IR LEDs Length 30m Support Smart IR IP67, PoE</p>		14,250,000
5 EZ-IPC-T1B20P-L <b>EZ-IP 2</b>	<p>1/2.7" 2Megapixel progressive scan CMOS H.265+ &amp; H.265 dual-stream encoding 20fps@1080P(1920×1080) &amp; 25/30fps@1.3MP(1280×960) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 3.6mm fixed lens Max. IR LEDs Length 30m Support Smart IR IP67, PoE</p>		9,750,000
6 IPC-B1A30	<p>1/3" 3Megapixel progressive scan CMOS H.264+/H.264 dual-stream encoding 20fps@3M(2048×1536)&amp;25/30fps@1080P(1920×1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>		9,700,000

مدل ردیف	مشخصات فنی	تصویر	قیمت (ریال)
7 IPC-B2A30	<p>1/3" 3Megapixel progressive scan CMOS H.264+/H.264 dual-stream encoding 20fps@3M(2048x1536)&amp;25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7~12mm Motorized lens Micro SD card slot, up to 128GB Max. IR LEDs Length 60m IP67, PoE</p>		19,400,000
8 IPC-D2B40-ZS	<p>1/3" 4Megapixel progressive scan CMOS H.265+ &amp; H.265 dual-stream encoding 20fps@4M(2560x1440) &amp;25/30fps@3M(2304x1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC 2.8~12mm varifocal lens Max. IR LEDs Length 30m Support Smart IR Micro SD card memory IP67, PoE</p>		19,500,000
9 IPC-T1A30	<p>1/3" 3Megapixel progressive scan CMOS H.264+/H.264 dual-stream encoding 20fps@3M(2048x1536)&amp;25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>		9,700,000
10 IPC-D1A30	<p>1/3" 3Megapixel progressive scan CMOS H.264+/H.264 dual-stream encoding 20fps@3M(2048x1536)&amp;25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens Max. IR LEDs Length 30m IP67, IK10, PoE</p>		10,200,000
11 NVR1A04HS-4P	<p>4 channel IP camera input 1/4/8/9 channel Live Preview H.264+/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 6MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 Support 4PoE port 100 Mbps Network Card P2P support</p>		14,770,000
12 NVR1A08HS	<p>8 channel IP camera input 1/4/8/9 channel Live Preview H.264+/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 6MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support</p>		8,600,000

# EZ-IP

## Surveillance Made Simple

مدل ردیف	مشخصات فنی	تصویر	قیمت
1	<p>DH-PSD81602-A360</p> <p>8x2MP Multi-Sensor Panoramic Network Camera+PTZ Camera            Panoramic: Eight 1/1.9" 2Megapixel progressive scan CMOS            5mm fixed lens            PTZ: One 1/1.9" 2Megapixel progressive scan CMOS            5.5mm~206mm, 37x optical zoom            H.265+/H.265/H.264+/H.264 triple-stream encoding            2x25fps@4096x1800+50/60fps@1080P            Support 360-degree panoramic view            WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC            Smart tracking            Intelligent Function(Tripwire, Intrusion)            2/1 channel Audio In/Out            7/2 channel Alarm In/Out            RS485            Micro SD memory, IP67, IK10</p>		Call
2	<p>DH-PSD8802-A180</p> <p>4x2MP Multi-Sensor Panoramic Network Camera+PTZ Camera            Panoramic: Four 1/1.9" 2Megapixel progressive scan CMOS            5mm fixed lens            PTZ: One 1/1.9" 2Megapixel progressive scan CMOS            5.5mm~206mm, 37x optical zoom            H.265+/H.265/H.264+/H.264 triple-stream encoding            25fps@4096x1800+50/60fps@1080P            Support 180-degree panoramic view            WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC            Smart tracking            Intelligent Function(Tripwire, Intrusion)            2/1 channel Audio In/Out            7/2 channel Alarm In/Out            RS485            Micro SD memory, IP67, IK10</p>		Call
3	<p>IPC-PFW8800-A180</p> <p>4x2MP Multi-Sensor Panoramic Network IR Bullet Camera            Four 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS            H.265+/H.265/H.264+/H.264 triple-stream encoding            Max 25fps@4096x1800            3.0mm fixed lens            Support 180-degree panoramic view            DWDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC            Intelligent Function  Tripwire, Intrusion, Object Abandoned/Missing            Map, E-PTZ            1/1 channel Audio In/Out            2/2 channel Alarm In/Out            Max. IR LEDs length 30m            Micro SD memory, IP67, IK10,PoE+</p>		Call
4	<p>IPC-PFW8601-A180</p> <p>3x2MP Multi-Sensor Panoramic Network IR Bullet Camera            Three 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS            H.265+/H.265/H.264+/H.264 triple-stream encoding            Max 25fps@4096x832            3.6mm fixed lens            Support 180-degree panoramic view            WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC            Intelligent Function  Tripwire, Intrusion, Object Abandoned/Missing, I            Map, E-PTZ            1/1 channel Audio In/Out            2/1 channel Alarm In/Out            Max. IR LEDs length 30m            Micro SD memory, IP67, IK10,PoE+</p>		Call











مدل ردیف	مشخصات فنی	تصویر	قیمت
5	<p>DH-IPC-PDBW8800-A180</p> <p>4x2MP Multi-Sensor Panoramic Network IR Dome Camera            Four 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS            H.265+/H.265/H.264+/H.264            Max 25fps@4096x1800            3.0mm fixed lens            Support 180-degree panoramic view            DWDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC            Intelligent Function Tripwire, Intrusion, Object Abandoned/Missing, Heat Map, E-PTZ            1/1 channel Audio In/Out            2/1 channel Alarm In/Out            Max. IR LEDs length 30m            Micro SD memory, IP67, IK10,PoE+</p>		Call
6	<p>DHI-ITC237-PW1B-IRZ</p> <p>دوربین ANPR با قابلیت تشخیص پلاک، مناسب برای ورودی های پارکینگ            2 Megapixel Full HD WDR Access ANPR Camera            -Embedded with LPR algorithm inside the camera            -Support plate cutout, overview picture snapshot and video recording            -Embedded with White list database,1 ch relay out to control the barrier            performance for outdoor applications-</p> <p>1/2.8" 2Megapixel progressive scan CMOS            H.265/H.264M/H.264H/H.264B dual-stream encoding            25/30fps@1080P(1920x1080)            2.7mm~12mm Motorize lens            WDR(140dB),BLC,HLC,Day/Night(ICR),3DNR,AWB,AGC,BLC            Mirco SD card 64GB            IR Distance 3~8m            IP67, IK10, PoE</p>		92,000,000
7	<p>DH-IPC5831EP-ZE</p> <p>1/2.5" 8 Megapixel progressive scan STARVIS™ CMOS            H.265+/H.265/H.264+/H.264 Triple-stream encoding            15fps@4K(3840x2160),25/30fps@3Mp(2304x1296)            2.7mm ~12mm motorized lens            Max. Aperture F1.6            WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC            Micro SD card memory , 128 GB            1/1 Audio In/Out            2/1 Alarm In/Out            Max. IR LEDs Length 50m , Smart IR            IP67,IK10, PoE</p>		52,000,000
8	<p>DH-IPC-HFW4831EP-S</p> <p>1/2.5" 8Megapixel progressive scan CMOS            H.265+&amp;H.265&amp;H.264&amp;MJPEG triple-stream encoding            15fps@4K(3840x2160),25/30fps@3Mp(2304x1296)            DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC            4mm fixed lens            Max. IR LEDs Length 40m            Micro SD card memory , 128 GB            IP67, PoE</p>		32,100,000
9	<p>IPC-HFW4631EP-SE</p> <p>1/2.9" 6Megapixel progressive scan STARVISTM CMOS            H. 265+ &amp; H.265 &amp; H.264+ &amp; H.264 triple-stream encoding            20fps@6MP(3072x2048), 25/30fps@4MP(2688x1520)            WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC            3.6mm fixed lens            Max. IR LEDs Length 40m            Micro SD card memory , 128 GB            IP67, PoE</p>		27,500,000

مدل ردیف	مشخصات فنی	تصویر	قیمت
10	<p>DH-IPC-HFW2531TP-Z</p> <p>1/2.7" 5Megapixel progressive CMOS 2.7~13.5mm Motorized lens 15fps@5M(2592×1944)&amp;25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60m ,Smart IR IP67, PoE Smart Detection (Tripwire Intrusion)</p>		33,300,000
11	<p>DH-IPC-HFW5431EP-Z-H</p> <p>1/3" 4Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 &amp; MJPEG triple-stream encoding Max 20fps@4Mp(2560×1440),25/30fps@3M(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~12mm motorized lens Max. IR LEDs Length 50m IP67, PoE Micro SD card memory , 128 GB Audio in/Out Alarm In/Out Smart Detection (Tripwire Intrusion   Scene Change   Face)</p>		31,700,000
12	<p>DH-IPC-HFW5231EP-Z12E</p> <p>1/2.8" 2Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 triple-stream encoding 50/60fps@1080(1920×1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 5.3mm ~ 64mm 12x zoom lens 1/1 Audio in/Out 2/1 Alarm In/Out Micro SD card memory , 128 GB Max. IR LEDs Length 200m , Smart IR IP67, IK10, PoE Smart Detection (Trinwire Intrusion Object Abandoned/Missing Face)</p>		48,100,000
13	<p>DH-IPC-HFW5231EP-Z13E</p> <p>1/2.8" 2Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 &amp; MJPEG triple-stream encoding 50/60fps@1080(1920×1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~ 13.5mm motorized lens 1/1 Audio in/Out 2/1 Alarm In/Out Micro SD card memory , 128 GB Max. IR LEDs Length 50m , Smart IRa IP67, IK10, PoE Smart Detection (Tripwire Intrusion Object Abandoned/Missing Face)</p>		39,800,000
14	<p>DH-IPC-HFW4431DP-BAS</p> <p>Smart Detection supported Face Detection,Tripwire, Intrusion, Object Abandoned/Missing 1/1 Alarm in/out, 1/1 audio in/out Max. IR LEDs Length 80m Mirco SD card 128GB IP67 PoE</p>		19,500,000
15	<p>DH-IPC-HFW4431BP-BAS</p> <p>Smart Detection supported Face Detection,Tripwire, Intrusion, Object Abandoned/Missing 1/1 Alarm in/out, 1/1 audio in/out Max. IR LEDs Length 50m Mirco SD card 128GB IP67, PoE</p>		19,100,000




ردیف	مدل	مشخصات فنی	تصویر	قیمت
16	DH-IPC-HFW2431TP-Z	<p>1/3" 4 Megapixel progressive CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 20fps@4M(2688x1520)&amp;25/30fps@3M(2304x1296) 2.7mm ~13.5mm motorized lens WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card memory , 128 GB Max. IR LEDs Length 60m , Smart IR IP67, PoE+</p>		29,200,000
17	DH-IPC-HFW1431SP	<p>1/3" 4Megapixel progressive CMOS 3.6mm fixed lens 20fps@4M(2688x1520) &amp;25/30fps@3M(2304x1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Max. IR LEDs Length 30m IP67, PoE</p>		19,100,000
18	DH-IPC-HFW4231EP-S	<p>1/2.8" 2Megapixel progressive scan STARVIS™ CMOS(Starlight) 3.6mm fixed lens 50/60fps@1080P(1920x1080) H.265+/H.265/H.264+/H.264 triple-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported: Face Detection,Tripwire, Intrusion, Object Abandoned/Missing Max. IR LEDs Length 40m Mirco SD card 128GB IP67, PoE</p>		22,100,000
	 <b>3.</b>			
19	DH-IPC-HFW2431RP-VFS-IRE6	<p>1/3" 4Megapixel progressive CMOS 2.7~13.5mm varifocal lens 20fps@4M(2688x1520) &amp; 25/30fps@3M(2304x1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60m IP67, PoE</p>		25,500,000
20	DH-IPC--HFW2231RP-VFS-IRE6	<p>1/2.8" 2Megapixel progressive Starvis CMOS(Starlight) 2.7~13.5mm varifocal lens 25/30fps@2M(1920x1080) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60m IP67, PoE</p>		23,700,000
21	DH-IPC--HFW2231RP-ZS-IRE6	<p>1/2.8" 2Megapixel progressive Starvis CMOS(Starlight) 2.7~13.5mm Motorized lens 25/30fps@2M(1920x1080) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60m IP67, PoE</p>		25,800,000
22	DH-IPC-HFW1420SP	<p>1/3" 4Megapixel progressive scan CMOS H.264&amp;MJPEG dual-stream encoding Max 20fps@4M(2688x1520)&amp;25/30fps@3M(2304x1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>		Discontinue












مدل ردیف	مشخصات فنی	تصویر	قیمت
23 DH-IPC-HFW1320SP	<p>1/3" 3Megapixel progressive scan CMOS H.264+/H.264 dual-stream encoding Max 20fps@3M(2048×1536)&amp;25/30fps@1080P(1920×1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>		12,300,000
24 DH-IPC-HFW1231SP <b>NEW Product</b>	<p>1/2.8" 2Megapixel progressive CMOS H.265&amp; H.264 dual-stream encoding 25/30fps@1080P(1920×1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC, HLC 2.8mm fixed lens Max. IR LEDs Length 30m, Smart IR IP67, PoE Smart Detection (Tripwire Intrusion)</p>		13,700,000
25 DH-IPC-HFW1230SP	<p>1/2.7" 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 25/30fps@1080P(1920×1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>		11,700,000
26 HDBW-5831EP-ZE 	<p>1/2.5" 8Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 Triple-stream encoding 15fps@4K(3840×2160),25/30fps@3M(2304×1296) WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~ 12mm motorized lens 1/1 Audio in/Out 1/1 Alarm In/Out Micro SD card memory , 128 GB Max. IR LEDs Length 50m , Smart IR IP67, IK10, PoE+</p>		52,000,000
27 HDBW-5831EP-ZE 	<p>1/2.5" 8Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 Triple-stream encoding 15fps@4K(3840×2160),25/30fps@3M(2304×1296) WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~ 12mm motorized lens 1/1 Audio in/Out 1/1 Alarm In/Out Micro SD card memory , 128 GB Max. IR LEDs Length 50m , Smart IR IP67, IK10, PoE+</p>		52,000,000
28 DH-IPC-HDBW5431EP-Z-H	<p>1/3" 4Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 &amp; MJPEG triple-stream encoding Max 20fps@4Mp(2560×1440),25/30fps@3M(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~ 12mm motorized lens Max. IR LEDs Length 50m IP67,IK10, PoE Micro SD card memory , 128 GB Audio in/Out Alarm In/Out Smart Detection (Tripwire Intrusion   Scene Change   Face)</p>		31,700,000





مدل ردیف	مشخصات فنی	تصویر	قیمت
29 DH-IPC- HDBW4831EP-ASE 	<p>1/2.5" 4K progressive scan Starvis CMOS H.265+/H.265/H.264+/H.264 encoding 15fps@4K(3840×2160),25/30fps@3Mp(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 4mm fixed lens Max. IR LEDs Length 30m Alarm in/out Audio in/out Micro SD card memory , 128 GB IP67,IK10, PoE Smart Detection (Tripwire Intrusion Scene Change Object Abandoned/Missing  Face)</p>		32,100,000
30 DH-IPC-HDW4831EMP- ASE 	<p>1/2.5" 4K progressive scan CMOS H.265+/H.265/H.264+/H.264 encoding 15fps@4K(3840×2160),25/30fps@3Mp(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 4mm fixed lens Max. IR LEDs Length 50m Built-in Mic Micro SD card memory , 128 GB IP67,PoE Smart Detection (Tripwire Intrusion Scene Change Object Abandoned/Missing  Face)</p>		32,100,000
31 HDW4631EM-ASE 	<p>1/2.9" 6Megapixel progressive scan STARVISTM CMOS H. 265+ &amp; H.265 &amp; H.264+ &amp; H.264 triple-stream encoding 20fps@6MP(3072x2048), 25/30fps@4MP(2688x1520) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens Built-in Mic Max. IR LEDs Length 50m, Smart IR Micro SD card memory , 128 GB IP67, PoE Smart Detection (Tripwire Intrusion  Object Abandoned/Missing  Face)</p>		27,500,000
32 DH-IPC-HDW4431EP- AS-H <b>Eco-Savvy Lite</b> 	<p>1/3" 4Megapixel progressive scan CMOS 3.6mm fixed lens Max 20fps@4M(2592×1520) &amp; 25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 &amp; MJPEG triple stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported Face Detection,Tripwire, Intrusion, Object Abandoned/Missing Built-in Mic Max. IR LEDs Length 50m Mirco SD card 128GB IP67 PoF</p>		19,100,000
33 HDBW2531RP-ZAS	<p>1/2.7" 5Megapixel progressive CMOS 2.7~13.5mm Motorized lens 20fps@5M(2592×1944)&amp;25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 1/1 Audio in/out, 1/1 Alarm in/out Mirco SD card 128GB Max IR LEDs Length 30m ,Smart IR IP67,IK10, PoE</p>		33,300,000
34 DH-IPC- HDBW2431RP-ZAS	<p>1/3" 4Megapixel progressive CMOS 2.7~13.5mm Motorized lens 20fps@4M(2688×1520) &amp; 25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 1/1 Audio in/out, 1/1 Alarm in/out Mirco SD card 128GB Max IR LEDs Length 50m IP67.IK10. PoE</p>		29,200,000









ردیف	مدل	مشخصات فنی	تصویر	قیمت
35	DH-IPC-HDBW2421RP-ZS	1/3" 4Megapixel progressive CMOS 2.7~12mm Motorized lens H.264+ & H.264 dual-stream encoding 20fps@4M(2688x1520) & 25/30fps@2M(1920x1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card slot, up to 128GB Max IR LEDs Length 30m IP67, IK10, PoE		22,800,000
36	DH-IPC-HDBW2421RP-VFS	1/3" 4Megapixel progressive CMOS 2.7~12mm varifocal lens 20fps@4M(2688x1520) & 25/30fps@2M(2304x1296) H.264+ & H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 30m IP67, IK10, PoE		19,700,000
37	DH-IPC-HDBW2431RP-VFS	1/3" 4Megapixel progressive CMOS 2.7~13.5mm varifocal lens 20fps@4M(2688x1520)&25/30fps@3M(2304x1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 50m IP67, IK10, PoE		25,000,000
38	DH-IPC-HDBW1431EP	1/3" 4Megapixel progressive CMOS 3.6mm fixed lens 20fps@4M(2688x1520) & 25/30fps@3M(2304x1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Max. IR LEDs Length 30m IP67, IK10, PoE		19,400,000
39	DH-IPC-HDW1431SP	1/3" 4Megapixel progressive CMOS 2.8mm fixed lens 20fps@4M(2688x1520) & 25/30fps@3M(2304x1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Max. IR LEDs Length 30m IP67, PoE		19,100,000
40	DH-IPC-HDPW1420FP-AS	1/3" 4Megapixel progressive scan CMOS H.264 & MJPEG dual codec Max 20fps@4M(2688*1520), 25/30fps@3M(2304*1296) Smart Detection supported DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Built-in Mic Mirco SD card 128GB Max. IR LEDs Length 20m IP66, PoE		Discontinue
41	DH-IPC-HDW1420SP	1/3" 4Megapixel progressive scan CMOS H.264&MJPEG dual-stream encoding Max 20fps@4M(2688x1520)&25/30fps@3M(2304x1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE		Discontinue

ردیف	مدل	مشخصات فنی	تصویر	قیمت
42	DH-IPC-HDBW1320EP-AS	<p>1/3" 3Megapixel progressive scan CMOS H.264+/H.264 dual-stream encoding Max 20fps@3M(2048x1536) (2304x1296)&amp;25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m Micro SD card Memory , 128 GB Audio In/Out IP67, IK10, PoE</p>		12,900,000
43	DH-IPC-HDW1230SP	<p>1/2.7" 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>		11,700,000
44	DH-IPC-HDBW1230EP	<p>1/2.7" 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, IK10, PoE</p>		12,200,000
45	DH-IPC-HDBW8231EP	<p>1/2.8" 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 triple-stream encoding 50/60fps@1080P(1920x1080) WDR(140dB), SSA, Day/Night(ICR), 3DNR,AWB,AGC,BLC 2.7mm ~12mm motorized lens Max. IR LEDs Length 50m Micro SD card memory , 128 GB Audio In/Out Alarm In/Out Support EIS ,Defog Support <b>People Counting, Heat Map</b> IP67, IK10, PoE Smart Detection (Tripwire Intrusion Scene Change Object Abandoned/Missing  Face)</p>		Call
46	DH-SD29204T-GN	<p>1/2.7" 2MP CMOS Sensor H.264+/H.264 Encoding Max. 25/30fps@1080P, 25/30/50/60fps@720P WDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus 2.7mm ~ 11mm , 4x Optical Zoom Max 100°/s pan speed, 360° endless pan rotation Up to 300 presets, 5 auto scan, 8 tour, 5 pattern Built-in Mic IR Distance up to 30m support POE Smart Detection (Tripwire Intrusion   Scene Change   Face  Abandoned-Missing Object)</p>		33,300,000
47	DH-SD1A203T-GN	<p>1/2.8" 2MP STARVIS™ CMOS (<b>Starlight</b>) H.265+/H.265/H.264+/H.264 Triple-streams encoding Max. 25/30fps@1080P WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus 2.7mm ~ 8.1mm , 3x Optical Zoom Max Pan: 80° /s; Tilt: 40° /s speed Pan: 0° ~ 355°; Tilt: 5° ~ 90° rotation Up to 300 presets, 5 auto scan, 8 tour, 5 pattern Support Defog IR Distance up to 15m IP 66, support POE Smart Detection (Tripwire Intrusion Abandoned/Missing Face Detection)</p>		35,500,000

مدل ردیف	مشخصات فنی	تصویر	قیمت
48	<p>DH-SD6CE230U-HNI</p> <p>1/2.8" 2MP STARVIS™ CMOS H.265+/H.265/H.264+/H.264 Encoding Max. 50/60fps@1080P 4.5mm~135mm Powerful 30x optical zoom Max 200°/s pan speed, 360° endless pan rotation WDR(120db), Day/Night(ICR), Ultra DNR, BLC, HLC Auto-tracking and IVS(Tripwire, Intrusion,Abandoned/Missing, Face Detection, Heat Map) Up to 300 presets,8 tour, 5 pattern, Auto scan, Auto Pan Support Defog, ROI, EIS Alarm 7/2 in/out Audio 1/1 in/out 1*Video output RS485 IR Distance up to 200m PoE+, IP67, IK10</p>		154,900,000
49	<p>DH-SD6CE225U-HNI</p> <p>1/2.8" 2MP STARVIS™ CMOS H.265+/H.265/H.264+/H.264 Triple-streams encoding Max. 50/60fps@1080P 4.8mm~120mm 25x optical zoom Max 200°/s pan speed, 360° endless pan rotation WDR(120dB), Day/Night(ICR), Ultra DNR, BLC, HLC Support Defog, ROI, EIS Auto-tracking and IVS(Tripwire, Intrusion,Abandoned/Missing, Face Detection, Heat Map) Up to 300 presets,8 tour, 5 pattern, Auto scan, Auto Pan 1*Video output Rs485 Alarm 7/2 in/out Audio 1/1 in/out IR Distance up to 200m PoE+, IP67, IK10</p>		106,500,000
50	<p>DH-SD49225T-HN</p> <p>1/2.8" 2Megapixel STARVIS™ CMOS H.265+/H.265/H.264+/H.264 Triple-streams encoding Max. 25/30fps@1080P 4.8mm~120mm 25x optical zoom Max 240°/s pan speed, 360° endless pan rotation WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Support Defog IVS(Tripwire, Intrusion,Abandoned/Missing, Face Detection) Up to 300 presets,8 tour, 5 pattern, Auto scan, Auto Pan Alarm 2/1 in/out Audio 1/1 in/out Support PoE+ IR Distance up to 100m</p>		77,400,000
51	<p>DH-SD65F230F-HNI</p> <p><b>Super Starligh</b></p> <p>1/1.9" 2MP CMOS Sensor(Super Starlight) H.264 / MJPEG Encoding Max. 25/30fps@1080P, 25/30/50/60fps@720P 6mm~180mm Powerful 30x optical zoom Max 300°/s pan speed, 360° endless pan rotation WDR(120db), Day/Night(ICR), Ultra DNR, BLC, HLC, Auto iris, Auto focus Auto-tracking and IVS(Tripwire, Intrusion,Abandoned/Missing, Face Detection) Up to 300 presets,8 tour, 5 pattern, Auto scan, Auto Pan Support Defog, ROI, EIS Alarm 7/2 in/out Audio 1/1 in/out 1 video output RS485 IR Distance up to 100m Support PoE+ IP66,IK10</p>		Call

مدل ردیف	مشخصات فنی	تصویر	قیمت
52	<p>DH-SD59225U-HNI</p> <p>2MP 25x <b>Starlight</b> IR PTZ Network Camera  1/2.8" Exmor R CMOS  H.265+/H.265/H.264+/H.264 Encoding  Max. 50/60fps@1080P, 25/30/50/60fps@720P  4.8mm~120mm 25x optical zoom  Max 400°/s pan speed, 360° endless pan rotation  WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus  Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection)  Support Defog and EIS  Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan  Built-in 2/1 Alarm in/out  Audio 1/1 in/out  Support PoE+  IR Distance up to 150m  IP66, OSD</p>		98,000,000
53	<p>DH-SD59230U-HNI</p> <p>2MP 30x <b>Starlight</b> IR PTZ Network Camera  1/2.8" Exmor R CMOS  H.265+/H.265/H.264+/H.264 Encoding  Max. 50/60fps@1080P, 25/30/50/60fps@720P  4.5mm~135mm 30x optical zoom  Max 400°/s pan speed, 360° endless pan rotation  WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus  Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection)  Support Defog and EIS  Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan  Built-in 2/1 Alarm in/out  Audio 1/1 in/out  Support PoE+  IR Distance up to 150m  IP66, OSD</p>		143,000,000
54	<p>DH-SD59430U-HNI</p> <p>1/3" CMOS Sensor  H.265+/H.265/H.264+/H.264 Encoding, Ultra-low bit rate transmission  Max. 25/30fps@4M(2592x1520) &amp; 50/60fps @1080P resolution  WDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus  4.5mm ~ 135.0mm , 30x Optical Zoom  Max 400°/s pan speed, 360° endless pan rotation  Up to 300 presets, 5 auto scan, 8 tour, 5 pattern  Micro SD card memory , 64 GB  Audio In/Out  Alarm In/Out  IP66, POE+  IR Distance up to 100m(AC24V)/ 80m(DC12V)  Smart Detection (Tripwire Intrusion   Scene Change   Face  Anandoned-Missing Object)</p>		159,500,000
55	<p>DH-SD60230T-HN</p> <p>1/2.8" 2Mp CMOS Sensor  H.264+/H.264 Encoding, Ultra-low bit rate transmission  Max. 30fps@1080P(2592x1520) &amp; 60fps @720P resolution  DWDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus  4.5mm ~ 135.0mm , 30x Optical Zoom  Max 600°/s pan speed, 360° endless pan rotation  Up to 300 presets, 5 auto scan, 8 tour, 5 pattern  Micro SD card memory , 64 GB  Audio In/Out  Alarm In/Out  IP67, IK10, POE+  Smart Detection (Tripwire Intrusion   Scene Change   Face  Anandoned-Missing Object)</p>		Call





ردیف	مشخصات فنی	تصویر	قیمت
56	<p>DHI-NVR2104HS-4KS2</p> <p>4 channel IP camera input H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8Mp resolution preview&amp;playback Up to 1ch@8MP/4ch@1080P decoding HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support</p>		12,300,000
57	<p>DHI-NVR2104HS-P-4KS2</p> <p>4 channel IP camera input H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8Mp resolution preview&amp;playback Up to 1ch@8MP/4ch@1080P decoding HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card 4PoE Port P2P support</p>		18,200,000
58	<p>DH-NVR2108HS-4KS2</p> <p>8 channel IP camera input H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8Mp resolution preview&amp;playback Up to 1ch@8MP/4ch@1080P decoding HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support</p>		13,900,000
59	<p>DH-NVR-2108HS-8P-4KS2</p> <p>8 channel IP camera input H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8Mp resolution preview&amp;playback Up to 1ch@8MP/4ch@1080P decoding HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card 8Port PoE P2P support</p>		25,900,000
60	<p>DH-NVR4108HS-4KS2</p> <p>8 channel IP camera input 1/4/8/9 channel Live Preview 8CH Playback H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support</p>		18,800,000
61	<p>DH-NVR4116HS-4KS2</p> <p>16 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support</p>		24,700,000

مدل ردیف	مشخصات فنی	تصویر	قیمت
62	<p>DH-NVR4216-4KS2</p> <p>16 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 200Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 2 SATA HDD up to 6TB 2 USB Ports (1 USB2.0, 1 USB3.0) 4 Alarm Input, 2 Relay Output 1*10/100/1000Mbps Mbps Network Card P2P support</p>		37,800,000
63	<p>DH-NVR4232-4KS2</p> <p>32 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 200Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 2 SATA HDD up to 6TB 2 USB Ports (1 USB2.0, 1 USB3.0) 4 Alarm Input, 2 Relay Output 1*10/100/1000Mbps Mbps Network Card P2P support</p>		41,400,000
64	<p>DH-NVR5232-4KS2</p> <p>32 channel IP camera input 32 channel Live Preview Up to 12Mp resolution preview&amp;playback Smart H.265+/H.265/Smart H.264+/H.264/MJPEG Max 320Mbps incoming bandwidth Record Rate 320 Mbps Max 4-ch@8MP(30fps), 16-ch@1080P(30fps) decoding HDMI/VGA simultaneous video output 16 channel playback Support 2 SATA HDDs up to 20TB, 2 USB(1 USB3.0) 1000 Mbps Network Card RS232, RS485 4 Alarm Input, 2 Relay Output Support P2P</p>		64,700,000
65	<p>DH-NVR4432-4KS2</p> <p>32 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 200Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 4 SATA HDD up to 6TB 2 USB Ports (1 USB2.0, 1 USB3.0) 16 Alarm Input, 4 Relay Output RS232 , RS485 2*10/100/1000Mbps Mbps Network Card P2P support</p>		54,300,000
66	<p>DH-NVR5432-4KS2</p> <p>32 channel IPC input 32 channel Live Preview Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&amp;playback Max 4-ch@8MP(30fps), 16-ch@1080P(30fps) decoding 2 HDMI/VGA simultaneous video output Support 4 SATA HDDs up to 40TB, 3 USB(1 USB3.0, 2USB2.0) Support 1 e-SATA 2*1000 Mbps Network Card RS232, RS485 16 Alarm In , 6 Relay Output P2P Support</p>		95,700,000



مدل ردیف	مشخصات فنی	تصویر	قیمت
67	<p>DH-NVR5464-4KS2</p> <p>64 channel IPC input 64 channel Live Preview Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&amp;playback Max 4-ch@8MP(30fps), 16-ch@1080P(30fps) decoding 2 HDMI/VGA simultaneous video output Support 4 SATA HDDs up to 40TB, 3 USB(1 USB3.0, 2USB2.0) Support 1 e-SATA 2*1000 Mbps Network Card RS232, RS485 16 Alarm In , 6 Relay Output P2P Support</p>		115,900,000
68	<p>DH-NVR4832-4KS2</p> <p>32 channel IPC camera input 16 channel Live Preview H.265/H.264 codec decoding Max 200Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 8 SATA HDD up to 6TB 3 USB Ports (2 USB2.0, 1 USB3.0) 16 Alarm Input, 4 Relay Output RS232 , RS485 2*10/100/1000Mbps Mbps Network Card</p>		96,400,000
69	<p>DH-NVR5832-4KS2</p> <p>32 channel IPC input 32 Channel Live Preview H.265/H.264/MJPEG/MPEG4 codec decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&amp;playback Max 16ch@1080P   4ch@4K H.265   H.264 Playback 2HDMI/VGA simultaneous video output Support 8 SATA HDDs up to 48TB, 4 USB(2 USB3.0, 2 USB2.0) 2*1000 Mbps Network Card RS232 16 Alarm In , 6 Relay Output P2P Support</p>		127,800,000
70	<p>DH-NVR5864-4KS2</p> <p>64 channel IPC input 32 Channel Live Preview H.265/H.264/MJPEG/MPEG4 codec decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&amp;playback Max 16ch@1080P   4ch@4K H.265   H.264 Playback 2HDMI/VGA simultaneous video output Support 8 SATA HDDs up to 48TB, 3 USB(1 USB3.0, 2USB2.0) 2*1000 Mbps Network Card RS232 16 Alarm In , 6 Relay Output P2P Support Raid 0/1/5/6/10</p>		145,800,000
71	<p>DH-NVR608-32-4KS2</p> <p>Intel Dual-core Processor 32 channel IPC input 32 Channel Live Preview: (1st Screen:1/4/8/9/16/25/36,2nd Screen: 1/4/8/9/16) H.265/H.264/MJPEG codec decoding Max 384Mbps incoming bandwidth Up to 12Mp resolution preview&amp;playback 2HDMI/VGA simultaneous video output Support 8 SATA HDDs up to 48TB,1 eSATA Port Support Raid 0/1/5/6/10 4 USB(2 USB3.0, 2 USB2.0) 2*1000 Mbps Network Card RS232 , RS485 16 Alarm In , 8 Relay Output</p>		134,400,000

رقم	نموذج	مواصفات فنية	تصوير	قيمة
72	DH-NVR608-64-4KS2	<p>Intel Quad-core Processor  64 channel IPC input  32 Channel Live Preview:  (1st Screen:1st Screen: 1/4/8/9/16/25/36 ,2nd Screen: 1/4/8/9/16)  H.265/H.264/MJPEG codec decoding  Max 384Mbps incoming bandwidth  Up to 12Mp resolution preview &amp; playback  2HDMI/VGA simultaneous video output  Support 8 SATA HDDs up to 48TB,1 eSATA Port  Support Raid 0/1/5/6/10  Support Smart Tracking and Intelligent Video  4 USB(2 USB3.0, 2 USB2.0)  2*1000 Mbps Network Card  RS232 , RS485  16 Alarm In , 8 Relay Output</p>		233,500,000
73	DH-ESS1508C	<p>2U standard 19-inch rack case  Connect master device via eSATA or USB  1 eSATA port transmission speed up to 3Gbps  1 USB 3.0 port data transmission higher than normal  Powerful R / W performance: read &gt;64MB/s, write &gt;64MB/s  ESS1508C: Max support Internal 8 SATA HDD up to 48TB  Recommended with DVR, NVR connection</p>		52,000,000
74	DH-PFS3006-4ET-60	<p>4-Port Fast Ethernet PoE Switch  Layer two commercial switch  2*10/100 Mbps Uplink ports  4*10/100 Mbps PoE ports  Port1≤60W, Port2-4≤30W, Total≤60W  Support IEEE802.3af, IEEE802.3at(PoE+) ,Hi PoE  1.8Gbps Switching Capacity  890Kpps Mpps Packet Forwarding Rate  768Kb Packet Buffer Memory  MAC atable size is 2K  Supports DC 48-57V power supply  8-Port Fast Ethernet PoE Switch</p>		8,160,000
75	DH-PFS3010-8ET-96	<p>8-Port Fast Ethernet PoE Switch  Layer two commercial switch  2*10/100/1000 Mbps Ports  8*10/100 Mbps PoE Ports  Port1≤60W, Port2-8≤30W, Total≤96W  Support IEEE802.3af (PoE), IEEE802.3at (PoE+), Hi-PoE  5.6Gbps Switching Capacity  4.17 MppsPacket Forwarding Rate  4Mb Packet Buffer Memory  MAC Table Size is 16K  Supports DC 48-57V power supply</p>		14,500,000
76	DH-PFS3110-8P-96	<p>Two-layer industrial PoE switch  1*1000 Base-X  1*10/100/1000 Base-T  8*10/100 Base-T (PoE power supply)  Each POE power ≤30W, Total≤96W  Support IEEE802.3af, IEEE802.3at standard  7.6G Switching Capacity  4.17 MppsPacket Forwarding Rate  1Mb Packet Buffer Memory  MAC auto study and aging, MAC address list capacity is 8K  Industrial wide temperature design</p>		16,800,000

ردیف	مدل	مشخصات فنی	تصویر	قیمت
77	DH-PFS4218-16ET-190	<p>Layer 2 management PoE switch            2*10/100/1000 Base-T (Combo port)            2*1000 Base-X (Combo port)            16*10/100 Base-T (PoE power supply)            Port1/2 support Hi-PoE (60W), PoE+, PoE            Each power ≤30W, Total≤190W</p> <p>Support IEEE802.3af, IEEE802.3at, Hi-PoE            250 meters long distance PoE transmission            Support spanning tree protocol STP/RSTP            Support Vlan:VLAN/802.1Q Standard Vlan            8.8G Switching Capacity            5.36 Mpps Packet Forwarding Rate            Network Management by WEB(http and https protocol)</p>		47,700,000
78	DH-PFS4218-16ET-240	<p>Layer 2 management PoE switch            2*10/100/1000 Base-T (Combo port)            2*1000 Base-X (Combo port)            16*10/100 Base-T (PoE power supply)            Port1/2 support Hi-PoE (60W), PoE+, PoE            Each power ≤30W, Total≤240W</p> <p>Support IEEE802.3af, IEEE802.3at, Hi-PoE            250 meters long distance PoE transmission            Support spanning tree protocol STP/RSTP            Support Vlan:VLAN/802.1Q Standard Vlan            8.8G Switching Capacity            5.36 Mpps Packet Forwarding Rate            Network Management by WEB(http and https protocol)</p>		53,200,000
79	DH-PFS4226-24ET-240	<p>24-Port PoE Switch            Layer 2 management PoE switch            2*10/100/1000 Base-T (Combo port)            2*1000 Base-X (Combo port)            24*10/100 Base-T (PoE power supply)            Port1/2 support Hi-PoE (60W), PoE+, PoE            Each power ≤30W, Total≤240W</p> <p>Support IEEE802.3af, IEEE802.3at, Hi-PoE            250 meters long distance PoE transmission            Support spanning tree protocol STP/RSTP            Support Vlan:VLAN/802.1Q Standard Vlan            8.8G Switching Capacity            6.55 Mpps Packet Forwarding Rate            Network Management by WEB(http and https protocol)</p>		56,900,000
80	DH-PFS4226-24ET-360	<p>24-Port PoE Switch            Layer 2 management PoE switch            2*10/100/1000 Base-T (Combo port)            2*1000 Base-X (Combo port)            24*10/100 Base-T (PoE power supply)            Port1/2 support Hi-PoE (60W), PoE+, PoE            Each power ≤30W, Total≤360W            Support PoE, PoE+, Hi-PoE            'Orange port' support Hi-PoE, can be used with the PoE extender (PFT1300)            250 meters long distance PoE transmission            Support spanning tree protocol STP/RSTP            Support Vlan:VLAN/802.1Q Standard Vlan            8.8G Switching Capacity            6.55 Mpps Packet Forwarding Rate            Support Web management            management, PoE Setting/Event Statistics/Green PoE</p>		67,500,000

مدل ردیف	مشخصات فنی	تصویر	قیمت
81 PFT1300	<p>PoE Extender            1*10/100 Base-T PoE power receiving port            1*10/100 Base-T PoE power supply port, supply power for the next extender            1*10/100 Base-T PoE power supply port, supply power for IPC            Support passive PoE cascade power supply and Ethernet data exchange            Support IEEE 802.3af/at standard power supply IP Camera            able to cascade level 2 PoE Extender, connect to 3 IPC (power consumption &lt;=8W), maxtransmission distance 300m</p>		3,400,000
82 PFM700	<p>*1 Channel HDMI Transmission Signal            *1080P/1080I/720P/576P/576I/480P/480I Resolution Output Signal            *60M (max)Transmission Distance            *Input voltage DC5V            *Use single UTP (CAT-5E and CAT-6) real-time transmit 1-ch HD video signal:support HDMI 1.3</p>		9,500,000
83 DHI-NKB1000	<p>Keyboard to Control :            -Dahua High Speed Dome (all models)            -Dahua Standalone DVR            -Dahua Network High Speed Dome            -Network Video Server            Connection : RS485, RS422, USB, RS232 &amp; Network            Three Dimensional Joystick Control of PTZ Functions            Preset Position, Auto Scan, Auto Pan, Auto Tour &amp; Pattern Control            On-Screen Menu &amp; User Operation Procedure Tips            Connect to SmartPSS via USB</p>		45,800,000

02146083954

