




































Turbo HD Camera - DVR







Items	2MP	User Price	
1	DS-2CE56D0T-IRMM 2.0 Megapixel Indoor IR Dome Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC, IP66, 1 HD Analog Output ,Plastic	IRR 3,930,000	
2	DS-2CE16D0T-IR 2.0 Megapixel IR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output ,Metal	IRR 4,550,000	
3	DS-2CE56D0T-IR 2.0 Megapixel IR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output , Metal/Plastic	IRR 4,350,000	
4	DS-2CE56D0T-IRM 2.0 Megapixel IR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 3.6mm/6 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66, 1 HD Analog Output , Metal	IRR 4,550,000	
5	DS-2CE16D0T-IT1 2.0 Megapixel EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output ,Metal/Plastic	IRR 5,590,000	
6	DS-2CE16D0T-IT3 2.0 Megapixel EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output ,Metal/Plastic	IRR 6,130,000	
7	DS-2CE16D0T-IT5 2.0 Megapixel EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 80 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output ,Metal/Plastic	IRR 6,830,000	
8	DS-2CE16D0T-WL5 2.0 Megapixel White Supplement Light Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01LUX ,Max White Light distance: 50 M Day&Night(Color),Up the Coax(HIKVISION-C) 12VDC,IP66 , 1 HD Analog Output ,Metal/Plastic	IRR 8,900,000	
9	DS-2CE56D0T-IT1 2.0 Megapixel EXIR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66, 1 HD Analog Output , Plastic	IRR 5,090,000	
10	DS-2CE56D0T-IT3 2.0 Megapixel EXIR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66, 1 HD Analog Output , Plastic	IRR 5,840,000	
11	DS-2CE56D1T-VFIR3 2.0 Megapixel Vari-Focal IR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8~12 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC, IP66 , 1 HD Analog Output,Metal/Plastic	IRR 11,010,000	
Items	2MP + POC	User Price	
12	DS-2CE16D0T-IRE 2.0 Megapixel IR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output ,Metal-PoC.af	IRR 4,950,000	






13	DS-2CE56D0T-VFIR3E	2.0 Megapixel Vari-Focal IR Dome Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8~12 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,PoC.at, IP66 , 1 HD Analog Output,Metal/Plastic	IRR 11,280,000	
14	DS-2CE16D0T-IT1E	2.0 Megapixel EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output ,Metal/Plastic,PoC.af	IRR 5,595,000	
15	DS-2CE16D0T-VFIR3E	2.0 Megapixel Vari-Focal IR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8~12 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66 ,PoC.at , 1 HD Analog Output ,Metal/Plastic	IRR 11,280,000	
16	DS-2CE56D0T-IT1E	2.0 Megapixel EXIR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output , Plastic,PoC.af Up the Coax (HIKVISION-C)	IRR 5,250,000	
17	DS-2CE56D0T-IT3E	2.0 Megapixel EXIR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output , Plastic,,PoC.af Up the Coax (HIKVISION-C)	IRR 5,700,000	
Starlight Value Series				
18	DS-2CE16D8T-ITE	2.0 Megapixel Ultra Low-Light PoC EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.003 lux ,Max IR distance: 30 M BLC,HLC,WDR(130dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,PoC.af , IP67 , 1 HD Analog Output ,Metal	IRR 9,020,000	
19	DS-2CE56D8T-ITME	2.0 Megapixel Ultra Low-Light PoC EXIR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.003 lux ,Max IR distance: 30 M BLC,HLC,WDR(130dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,PoC.af , IP67 , 1 HD Analog Output ,Metal	IRR 9,020,000	
20	DS-2CE16D8T-IT3ZE	2.0 Megapixel Ultra Low-Light PoC EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.7 ~ 13.5 mm motorized vari-focal lens ,0.003 lux ,Max IR distance: 60 M, Auto focus BLC,HLC,WDR(130dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,PoC.af , IP67 , 1 HD Analog Output ,Metal	IRR 18,490,000	
21	DS-2CE16D8T-IT3E	2.0 Megapixel Ultra Low-Light PoC EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.003 lux ,Max IR distance: 60 M BLC,HLC,WDR(130dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,PoC.af , IP67 , 1 HD Analog Output ,Metal	IRR 10,830,000	
22	DS-2CE56D8T-IT1E	2.0 Megapixel Ultra Low-Light PoC EXIR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.003 lux ,Max IR distance: 30 M BLC,HLC,WDR(130dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,PoC.af , IP67 , 1 HD Analog Output ,Metal/Plastic	IRR 9,480,000	
pir				
23	DS-2CE11H0T-PIRL	5.0 Megapixel PIR Bullet Camera 5MP CMOS Image Sensor, 2560 × 1944 resolution 2.8/3.6 mm lens 0.01 Lux,0 Lux IR on , PIR detection, visual alarm. EXIR 2.0; Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC, Up the coax (HIKVISION-C)-1 HD Analog Output 12VDC,IP67-Material: Front cover: Metal-Main body: Plastic	IRR 7,900,000	



24	DS-2CE12H0T-PIRL	5.0 Megapixel PIR Bullet Camera 5MP CMOS Image Sensor, 2560 × 1944 resolution 2.8/3.6 mm lens 0.01 Lux,0 Lux IR on , PIR detection, visual alarm. EXIR 2.0; Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC, Up the coax (HIKVISION-C)-1 HD Analog Output 12VDC,IP67-Material :Front cover: Metal-Main body: Plastic	IRR 8,570,000	
25	DS-2CE38D8T-PIR	2 MP Ultra-Low Light PIR Cube Camera- 2MPprogressive scan CMOS Ultra-low light;1920×1080 resolution; up to 20 m IR distance 2.8 mm, 3.6 mm fixed focal lens;PIR detection; 120 dB true WDR,3D DNR;EXIR 2.0, smart IR Built-in microphone;Up the coax (HIKVISION-C-Material: Plastic	IRR 9,020,000	
26	DS-2CE71H0T-PIRL	5.0 Megapixel PIR Bullet Camera 5MP CMOS Image Sensor 2560 × 1944 resolution 2.8/3.6 mm lens 0.01 Lux,0 Lux IR on , PIR detection, visual alarm. EXIR 2.0; Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC Up the coax (HIKVISION-C)-1 HD Analog Output 12VDC,IP67 weatherproof-Material: Enclosure: Plastic -Main body: Metal	IRR 7,900,000	
Exir Turbo HD Series-3Mp				
27	DS-2CE16F1T-IT	3.0 Megapixel EXIR Bullet Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic	IRR 5,330,000	
28	DS-2CE56F1T-ITM	3.0 Megapixel EXIR Turret Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic	IRR 5,330,000	
29	DS-2CE16F1T-IT1	3.0 Megapixel EXIR Bullet Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic	IRR 6,020,000	
30	DS-2CE16F1T-IT3	3.0 Megapixel EXIR Bullet Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic	IRR 6,910,000	
31	DS-2CE16F1T-IT5	3.0 Megapixel EXIR Bullet Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 80 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic	IRR 7,220,000	
32	DS-2CE56F1T-IT1	3.0 Megapixel EXIR Turret Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic	IRR 5,840,000	
33	DS-2CE56F1T-IT3	3.0 Megapixel EXIR Turret Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic	IRR 6,550,000	
34	DS-2CE16F7T-IT3Z	3.0 Megapixel Motorized EXIR Bullet Camera, 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8~12 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,WDR(120dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic	IRR 22,550,000	

35	DS-2CE56F7T-IT3Z	3.0 Megapixel Motorized EXIR Dome Camera 3MP CMOS Image Sensor, Resolution (1920*1536@18fps) 2.8~12 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,WDR(120dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal	IRR 22,550,000	
Exir Series - 5Mp				
36	DS-2CE16H1T-ITE	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal	IRR 9,480,000	
37	DS-2CE16H1T-IT1E	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	IRR 10,830,000	
38	DS-2CE16H1T-IT3E	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	IRR 11,730,000	
39	DS-2CE56H1T-ITME	5.0 Megapixel EXIR Turret Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal	IRR 9,480,000	
40	DS-2CE16H0T-ITF	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) DWDR-4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	IRR 7,450,000	
41	DS-2CE16H0T-IT1F	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	IRR 8,120,000	
42	DS-2CE16H0T-IT3F	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) DWDR-4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	IRR 9,020,000	
43	DS-2CE16H0T-IT5F	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 3.6 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 80 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) DWDR-4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	IRR 9,700,000	
44	DS-2CE16H1T-IT5E	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 3.6 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 80 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	IRR 12,630,000	
45	DS-2CE56H0T-ITMF	5.0 Megapixel EXIR Turret Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal	IRR 6,990,000	

46	DS-2CE56H1T-IT1E	5.0 Megapixel EXIR Turret Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	IRR 10,830,000	
47	DS-2CE56H0T-IT1F	5.0 Megapixel EXIR Turret Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 , 1 HD Analog Output ,Metal/Plastic	IRR 7,900,000	
48	DS-2CE56H0T-IT3F	5.0 Megapixel EXIR Turret Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 , 1 HD Analog Output ,Metal/Plastic	IRR 8,570,000	
49	DS-2CE16H0T-IT3ZF	5.0 Megapixel Motorized EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.7~13.5 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 4 in 1 Video Output (TVI/AHD/CVI/CVBS) 24VAC,12VDC,IP67 , 1 HD Analog Output ,Metal/Plastic	IRR 15,560,000	
50	DS-2CE56H0T-IT3ZF	5.0 Megapixel Motorized EXIR Turret Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.7~13.5 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 , 1 HD Analog Output ,Metal	IRR 15,110,000	
51	DS-2CE56H1T-IT3ZE	5.0 Megapixel Motorized EXIR Turret Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8~12 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 , POC.at ,1 HD Analog Output ,Metal	IRR 18,950,000	
52	DS-2CE16H1T-IT3ZE	5.0 Megapixel Motorized EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8~12 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 , POC.at ,1 HD Analog Output ,Metal/Plastic	IRR 18,950,000	
53	DS-2CE56H1T-IT3E	5.0 Megapixel EXIR Turret Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,1 HD Analog Output ,Metal	IRR 11,730,000	
54	DS-2CC52H1T-FITS	5.0 Megapixel IR Fisheye Camera 5MP CMOS Image Sensor, Resolution (2560*1944@12.5fps) 1.1 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) Built-in Microphone,1Ch Audio Output 12VDC,1 HD Analog Output ,Plastic	IRR 32,470,000	
Turbo HD-8MP				
55	DS-2CE78U8T-IT3	4K Ultra Low-Light EXIR Turret Camera 8.29 MP CMOS Image Sensor, Resolution (3840*2160@12.5fps) 2.8 mm lens ,0.003 lux ,Max IR distance: 60 M BLC,WDR(120dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC , IP67 , 1 HD Analog Output ,Metal/Plastic	IRR 25,710,000	
56	DS-2CE18U8T-IT3	4K Ultra Low-Light EXIR Bullet Camera 8.29 MP CMOS Image Sensor, Resolution (3840*2160@12.5fps) 2.8 mm lens ,0.003 lux ,Max IR distance: 60 M BLC,WDR(120dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC , IP67 , 1 HD Analog Output ,Metal/Plastic	IRR 27,060,000	

Turbo HD PTZ Camera			
57	DS-2AE5223TI-A (24VAC)	2MP 23X Turbo IR PTZ CAMERA 1/3" 2MP progressive scan CMOS Up to 1920 × 1080 resolution 25 fps 4~92.0 mmlens(30x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 150 meters 3DDNR,BLC,DWDR,EIS,(HIKVISION-C) CVBS OUT,2/1 Alarm I/O 24VAC ,IP66	IRR 76,400,000 
58	DS-2AE7230TI-A (24VAC)	2MP 30X Turbo IR PTZ CAMERA 1/32.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution 25 fps 4~120 mmlens(30x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 120 meters 3DDNR,BLC,DWDR,EIS,(HIKVISION-C) 24VAC ,IP66	IRR 97,790,000 
Turbo HD DVR			
59	DS-7204HQHI-K1	04 CHANNEL H.265 Pro + 1U DVR Support 4 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 4MP Resolution recording Up to 6CH IP Camera 6MP Input Max 24 Mbps Bit rate input h.265 Pro +,H.265 PRo, H.265, H.264+,H.264 video compression 4 CH Synchronous Playback 1 HDMI (1920*1080), VGA Support 1 SATA (10TB),2 USB 2.0 1/1 Audio I/O , RJ45 (100) Mbps,RS-485,CVBS Onvif Support,VCA,Smart Search,12VDC	IRR 14,670,000 
60	DS-7208HQHI-K1	08 CHANNEL H.265 Pro + 1U DVR Support 8 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 4MP Resolution recording Up to 12CH IP Camera 6MP Input Max 48 Mbps Bit rate input h.265 Pro +,H.265 PRo, H.265, H.264+,H.264 video compression 8CH Synchronous Playback 1 HDMI (1920*1080), VGA Support 1 SATA (10TB),2 USB 2.0 1/1 Audio I/O , RJ45 (100) Mbps,RS-485 Onvif Support,VCA,Smart Search,12VDC	IRR 20,780,000 
61	DS-7216HQHI-K1	16 CHANNEL H.265 Pro + 1U DVR Support 16 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 4MP Resolution recording Up to 24CH IP Camera 6MP Input Max 96 Mbps Bit rate input h.265 Pro +,H.265 PRo, H.265, H.264+,H.264 video compression 16CH Synchronous Playback 1 HDMI (4K), VGA Support 1 SATA (10TB),2 USB 2.0 1/1 Audio I/O , RJ45 (1000) Mbps,RS-485,CVBS Onvif Support,VCA,Smart Search,12VDC	IRR 37,950,000 
62	DS-7204HUHI-K1	04 CHANNEL H.265 Pro + 1U DVR Support 4 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 5MP Resolution recording Up to 8CH IP Camera 8MP Input Max 32 Mbps Bit rate input h.265 Pro +,H.265 PRo, H.265, H.264+,H.264 video compression 4 CH Synchronous Playback 1 HDMI (1920*1080), VGA Support 1 SATA (10TB),2 USB 2.0 4/1 Audio I/O ,4/1 Alarm I/O , RJ45 (100) Mbps,RS-485 Onvif Support,VCA,Smart Search,12VDC	IRR 22,120,000 

63	DS-7208HUHI-K1	<p>08 CHANNEL H.265 Pro + 1U DVR Support 8 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 8MP Resolution recording Up to 16CH IP Camera 8MP Input Max 64 Mbps Bit rate input h.265 Pro +,H.265 PRo, H.265, H.264+,H.264 video compression 8 CH Synchronous Playback 1 HDMI (4K), VGA Support 1 SATA (10TB),2 USB 2.0 4/1 Audio I/O ,8/4 Alarm I/O , RJ45 (100) Mbps,RS-485,CVBS Onvif Support,VCA,Smart Search,12VDC</p>	IRR 33,760,000	
64	DS-7216HUHI-K2	<p>16 CHANNEL H.265 Pro + 1U DVR Support 16 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 8MP Resolution recording Up to 32CH IP Camera 8MP Input Max 128 Mbps Bit rate input h.265 Pro +,H.265 PRo, H.265, H.264+,H.264 video compression 16 CH Synchronous Playback 1 HDMI (4K), VGA Support 2 SATA (10TB),2 USB 2.0 4/1 Audio I/O ,16/4 Alarm I/O , RJ45 (1000) Mbps,RS-485,CVBS Onvif Support,VCA,Smart Search,12VDC</p>	IRR 67,290,000	
65	DS-7204HUHI-K1/P	<p>04 CHANNEL H.265 Pro + POC 1U DVR Support 4 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 5MP Resolution recording Up to 8CH IP Camera 8MP Input Max 32 Mbps Bit rate input h.265 Pro +,H.265 PRo, H.265, H.264+,H.264 video compression 4 CH Synchronous Playback 1 HDMI (1920*1080), VGA Support 1 SATA (10TB),2 USB 2.0 4/1 Audio I/O ,4/1 Alarm I/O , RJ45 (100) Mbps,RS-485 Onvif Support,VCA,Smart Search, POC ,48VDC</p>	IRR 27,010,000	
66	DS-7208HUHI-K2/P	<p>08 CHANNEL H.265 Pro + POC 1U DVR Support 4 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 5MP Resolution recording Up to 8CH IP Camera 8MP Input Max 32 Mbps Bit rate input h.265 Pro +,H.265 PRo, H.265, H.264+,H.264 video compression 4 CH Synchronous Playback 1 HDMI (4K), VGA Support 2 SATA (10TB),2 USB 2.0 4/1 Audio I/O ,4/1 Alarm I/O , RJ45 (100) Mbps,RS-485 Onvif Support,VCA,Smart Search, POC,48VDC</p>	IRR 49,360,000	
67	DS-7204HHTHI-K1	<p>04 CHANNEL H.265 + 1U DVR Support 4 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 8MP Resolution recording Up to 2CH IP Camera 8MP Input Max 32 Mbps Bit rate input H.265 +, H.265, H.264+,H.264 video compression 4 CH Synchronous Playback 1 HDMI (4K), VGA Support 1SATA (8TB),2 USB 2.0 4/1 Audio I/O ,4/1 Alarm I/O , RJ45 (100) Mbps,RS-485 Onvif Support,VCA,Smart Search,12VDC</p>	IRR 33,530,000	

68	DS-7208HTHI-K2	<p>08 CHANNEL H.265 + 1U DVR Support 8 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 8MP Resolution recording Up to 4CH IP Camera 8MP Input Max 64 Mbps Bit rate input H.265 +, H.265, H.264+,H.264 video compression 8 CH Synchronous Playback 1 HDMI (4K), VGA Support 2SATA (8TB),2 USB 2.0 4/1 Audio I/O ,8/4 Alarm I/O , RJ45 (100) Mbps,RS-485 Onvif Support,VCA,Smart Search,12VDC</p>	IRR 65,190,000	
69	DS-7224HQHI-K2	<p>24 CHANNEL H.265 + 1U DVR Support 24 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 4MP Resolution recording Note: The 3 MP signal input is only available for channel 1/2/3/4. Up to 2CH IP Camera 4MP Input H.265 +, H.265, H.264+,H.264 video compression 16 CH Synchronous Playback 1 HDMI (4K), VGA Support 2SATA (8TB),2 USB 2.0 1/1 Audio I/O , RJ45 (1000) Mbps,RS-485 Onvif Support,VCA,VQD,Smart Search,12VDC</p>	IRR 68,680,000	
70	DS-7232HQHI-K2	<p>32 CHANNEL H.265 + 1U DVR Support 32 Channel Signal Input Self-adaptive HDTV/HDCVI/AHD/CVBS signal input Support up to 4MP Resolution recording Note: The 3 MP signal input is only available for channel 1/2/3/4. Up to 2CH IP Camera 4MP Input H.265 +, H.265, H.264+,H.264 video compression 16 CH Synchronous Playback 1 HDMI (4K), VGA Support 2SATA (8TB),2 USB 2.0 1/1 Audio I/O , RJ45 (1000) Mbps,RS-485 Onvif Support,VCA,VQD,Smart Search,12VDC</p>	IRR 73,110,000	